Ultrasound in Med. & Biol., Vol. 27, No. 12, pp. 1721–1794, 2001
Copyright © 2002 World Federation for Ultrasound in Medicine & Biology
Printed in the USA. All rights reserved
0301-5629/01/$–see front matter

AUTHOR/SUBJECT INDEX

3D

a fast calibration method for 3-D tracking of ultrasound images using a spatial localizer (Pagoulatos), 1219
a real vessel phantom for flow imaging: 3-D Doppler ultrasound of steady flow (Dabrowski), 135
accuracy of an electromagnetic three-dimensional ultrasound system for carotid artery imaging (Barratt), 1421 (Technical Note)
beam calibration without a phantom for creating a 3-D freehand ultrasound system (Muratore), 1557
conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetal echocardiography (Deng), 51
development of three-dimensional power Doppler ultrasound imaging of fetoplacental vasculature (Welsh), 1161
Doppler quantitative measures by region to discriminate prostate cancer (Potdevin), 1305
improved 3-D-echocardiographic endocardial border delineation using the contrast agent FS069 (Optison®) transesophageal studies in a porcine model (Handke), 1185
in vitro simulation and quantification of temporal jitter artifacts in ECG-gated dynamic three-dimensional echocardiography (Nadkarni), 211
infant cerebral ventricle volume: a comparison of 3-D ultrasound and magnetic resonance imaging (Gilmore), 1143
multigate Doppler signal analysis using 3-D regularized long AR modelling (Berthomier), 1515
online motion-gated dynamic three-dimensional echocardiography in the fetus - preliminary results (Deng), 43
optimisation and evaluation of an electromagnetic tracking device for high-accuracy three-dimensional ultrasound imaging of the carotid arteries (Barratt), 957
patient motion compensation during transthoracic 3-D echocardiography (Chuang), 203
prenatal diagnosis of cleft palate by three-dimensional ultrasound (Chen), 1017
quantitative assessment of *in vitro* jets based on three-dimensional color Doppler reconstruction (Guo), 235
real-time three-dimensional color Doppler echocardiography for characterizing the spatial velocity distribution and quantifying the peak flow rate in the left ventricular outflow tract (Tsujino), 69
real-time three-dimensional intracardiac echocardiography (Light), 1177
reproducibility of contrast-enhanced transrectal ultrasound of the prostate (Sedelaar), 595
respiratory motion compensation for 3D freehand echocardiography (Atkinson), 1615

serial measurement of cross-sectional area in peripheral vein grafts using three-dimensional ultrasound (Leotta), 61
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21
three-dimensional forward-viewing intrasvascular ultrasound imaging of human arteries *in vitro* (Gatzoulis), 969
three-dimensional ultrasonography in the diagnosis of rotator cuff lesions (Wallny), 745
three-dimensional ultrasound-guided core needle breast biopsy (Smith), 1025

3D Echocardiography
in vitro simulation and quantification of temporal jitter artifacts in ECG-gated dynamic three-dimensional echocardiography (Nadkarni), 211
patient motion compensation during transthoracic 3-D echocardiography (Chuang), 203

4D

conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetalechocardiography (Deng), 51
online motion-gated dynamic three-dimensional echocardiography in the fetus - preliminary results (Deng), 43

A

Abramowicz, J. S., see Miller, M. W.

Accuracy
accuracy of biphasic response, sustained improvement and worsening during Dobutamine echocardiography in predicting recovery of resting myocardial dysfunction after revascularization: comparison with Thallium-201 SPECT (Huang), 925

Adler, R. S.: on the relationship between power mode and pressure amplitude, 1291 (Technical Note)

Age
age-related alterations of cardiac tissue microstructure and material properties in Fischer 344 rats (Nguyen), 611
associations of aortic windkessel function with age, gender and cardiovascular risk factors (Nagai), 1207
dynamic behaviour of the common femoral artery: age and gender of minor importance (Ahlgren), 181
tissue-mimicking materials for teaching sonographers and evaluation of their specifications after three years (Mokhtari-Dizaji), 1713 (Technical Note)
ultrasonic characterization of maturation of fetal lung microstructure: an animal study (Ossant), 157

Ahlgren, Å. R., Åstrand, H., Sandgren, T., Vernersson, E., Sonesson, B. and Länne, T.: dynamic behaviour of the common femoral artery: age and gender of minor importance, 181

Aksnes, A.-K., see Hagen, E. K.

Alcohol mixture
measurement of the speed of sound in ethanol/water mixtures (Martin), 289 (Technical Note)

Aldinger, C., see Rosengarten, B.

Alexander, J., see Moser, D. J.

Algermissen, C., see Claassen, L.

Algermissen, C., see Seidel, G.

Alloni, R., see Cicala, M.

Amess, P., see Roth, S.

Anderson, M. E., Soo, M. S. C. and Trahey, G. E.: *in vivo* breast tissue backscatter measurement with 7.5- and 10-MHz transducers, 75

Anderson, T., see Gatzoulis, L.

Anderson, T., see Ramnarine, K. V.

Angermann, C. E., see Pislaru, C.

Angioplasty
alterations of myocardial ultrasonic tissue characterization by coronary angioplasty in patients with chronic stable coronary artery disease (Lin), 1191

Anthracyclines
discriminative ability of conventional echocardiography and tissue Doppler imaging techniques for the detection of subclinical cardiotoxic effects of treatment with anthracyclines (Kapusta), 1605

Antich, P. P., see Mehta, S. S.

Antoranz, J. C., see Bermejo, J.

Apoptosis
apoptosis in ultrasound-produced threshold lesions in the rabbit brain (Vykhodtseva), 111

Arndt, S., see Moser, D. J.

Arnold, A., Taylor, P., Poston, R., Modaresi, K. and Padayachee, S.: an objective method for grading ultrasound images of carotid artery plaques, 1041

Artefact
acoustic shadowing on B-mode ultrasound of the carotid artery predicts CHD (Hunt), 357
conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetal echocardiography (Deng), 51
in vitro simulation and quantification of temporal jitter artifacts in ECG-gated dynamic three-dimensional echocardiography (Nadkarni), 211
patient motion compensation during transthoracic 3-D echocardiography (Chuang), 203

Artery
accuracy of an electromagnetic three-dimensional ultrasound system for carotid artery imaging (Barratt), 1421 (Technical Note)

acoustic shadowing on B-mode ultrasound of the carotid artery predicts CHD (Hunt), 357
advancing intravascular ultrasonic palpation toward clinical applications (Doyley), 1471
an adaptive template-matching method and its application to the boundary detection of brachial artery ultrasound scans (Fan), 399
an objective method for grading ultrasound images of carotid artery plaques (Arnold), 1041
assessment of the spatial homogeneity of artery dimension parameters with high frame rate 2-D B-mode (Meinders), 785
associations of aortic windkessel function with age, gender and cardiovascular risk factors (Nagai), 1207
automated edge-detection technique for measurement of brachial artery reactivity: a comparison of concordance with manual measurements (Haluska), 1285 (Clinical Note)
automatic evaluation of arterial diameter variation from vascular echographic images (Beux), 1621
axial strain imaging of intravascular data: results of polyvinyl alcohol cryogel phantoms and carotid artery (Brusseau), 1631
does B-mode common carotid artery intima-media thickness differ from M-mode? (Van Bortel), 1333
dorsal aortic flow velocity in chick embryos of stage 16 to 28 (Ursem), 919
dynamic behaviour of the common femoral artery: age and gender of minor importance (Ahlgren), 181
evaluation of voxel-based registration of 3-D power Doppler ultrasound and 3-D magnetic resonance angiographic images of carotid arteries (Slomka), 945
inhibition of carotid artery neointimal formation with intravenous microbubbles (Porter), 259
multigate Doppler signal analysis using 3-D regularized long AR modelling (Berthomier), 1515
optimisation and evaluation of an electromagnetic tracking device for high-accuracy three-dimensional ultrasound imaging of the carotid arteries (Barratt), 957
three-dimensional forward-viewing intrasvascular ultrasound imaging of human arteries *in vitro* (Gatzoulis), 969
validation of *in vivo* noninvasive high-frequency ultrasonography of the arterial wall layers (Rodriguez-Macias), 751

Arullani, A., see Cicala, M.

Åstrand, H., see Ahlgren, Å. R.

Atkinson, D., Burcher, M., Declerck, J. and Noble, J. A.: respiratory motion compensation for 3D freehand echocardiography , 1615

Attenuation
age-related alterations of cardiac tissue microstructure and material properties in Fischer 344 rats (Nguyen), 611
B-scan ultrasound imaging of thermal coagulation in bovine liver: log envelope slope attenuation mapping (Bevan), 379
B-scan ultrasound imaging of thermal coagulation in bovine liver: frequency shift attenuation mapping (Bevan), 809
changes in ultrasound properties of porcine kidney tissue during heating (Worthington), 673

high-frequency ultrasonic attenuation and backscatter coefficients of *in vivo* normal human dermis and subcutaneous fat (Raju), 1543
transmural variation of myocardial attenuation measured with a clinical imager (Sosnovik), 1643
ultrasonic characteristics of leiomyoma uteri *in vitro* (Bhatia), 983

Autoregression
multigate Doppler signal analysis using 3-D regularized long AR modelling (Berthomier), 1515

Axillary nodes
color Doppler ultrasound in breast carcinomas: relationship with hormone receptors, DNA ploidy, S-phase fraction, and histopathology (Chao), 351

B

Babin-Ebell, J., see Müllges, W.

Baccini, F., see Pallotta, N.

Backscatter
assessing spectral algorithms to predict atherosclerotic plaque composition with normalized and raw intravascular ultrasound data (Nair), 1319
assessment of the myocardial changes in heart transplant recipients without evident acute myocardial rejection by integrated backscatter: comparison with simultaneous dobutamine stress echocardiography and ^{201}Thallium spect (Ho), 171
changes in ultrasound properties of porcine kidney tissue during heating (Worthington), 673
high-frequency ultrasonic attenuation and backscatter coefficients of *in vivo* normal human dermis and subcutaneous fat (Raju), 1543
in vivo breast tissue backscatter measurement with 7.5- and 10-MHz transducers (Anderson), 75
influence of boundary conditions on a one-dimensional ultrasound backscattering model of blood (Lui), 571
influence of respiration on myocardial signal intensity (Janerot-Sjöberg), 473
is there a change in myocardial nonlinearity during the cardiac cycle? (Pislaru), 389
quantification of ultrasound contrast agent response: comparison of continuous wave Doppler and power Doppler to backscattered radiofrequency data (Lucidarme), 1379
reproducibility of skin characterization with backscattered spectra (12-25 MHz) in healthy subjects (Fournier), 603
ultrasonic characterization of maturation of fetal lung microstructure: an animal study (Ossant), 157
ultrasonic tissue characterization can predict β-blocker efficacy in dilated cardiomyopathy (Kondo), 1079

Bahner, M. L., see Delorme, S.

Bai, J., see Wu, F.

Bailey, M. R., Couret, L. N., Sapozhnikov, O. A., Khokhlova, V. A., ter Haar, G., Vaezy, S., Shi, X., Martin, R. and Crum, L. A.: use of overpressure to assess the role of bubbles in focused ultrasound lesion shape *in vitro*, 695

Bailey, M. R., see Vaezy, S.

Baldwin, S. L., see Sosnovik, D. E.

Bamber, J. C., see Doyley, M. M.

Banning, A. P., see Jacob, G.

Barnett, S. B., see Ziskin, M. C.

Barnett, S. B.: intracranial temperature elevation from diagnostic ultrasound, 883

Barr, L. L.: clinical concerns in the ultrasound exposure of the developing central nervous system, 889

Barratt, D. C., Davies, A. H., Hughes, A. D., Thom, S. A. and Humphries, K. N.: optimisation and evaluation of an electromagnetic tracking device for high-accuracy three-dimensional ultrasound imaging of the carotid arteries, 957

Barratt, D. C., Davies, A. H., Hughes, A. D., Thom, S. A. and Humphries, K. N.: accuracy of an electromagnetic three-dimensional ultrasound system for carotid artery imaging, 1421 (Technical Note)

Bartels, T., see Schroeder, R.-J.

Baudin, J., see Roth, S.

Bauer, F., see Tsujino, H.

Bauer, R. M., see Moser, D. J.

Beach, K. W., see Leotta, D. F.

Beach, K. W., see Plett, M. I.

Beam computation
spatial averaging in the beam of a piston transducer (Daly), 643

Beaudin, R. A., see Chuang, M. L.

Becher, H., see Schlosser, T.

Becher, H., see Tiemann, K.

Beckmann, J., see Maier, M.

Beebe, H. G., see Setty, S. P.

Beemer, M. K., see Nagai, Y.

Begeman, G. A., see Setty, S. P.

Behrens, S., Spengos, K., Daffertshofer, M., Schroeck, H., Dempfle, C. E. and Hennerici, M.: transcranial ultrasound-improved thrombolysis: diagnostic versus therapeutic ultrasound, 1683

Beissner, K., see Hekkenberg, R. T.

Bennell, K. L., , see Warden, S. J.

Ben-Yosef, D., see Eytan, O.

Bergelin, R. O., see Leotta, D. F.

Berger, G., see Fournier, C.

Berger, G., see Lucidarme, O.

Bergqvist, D., see Rodriguez-Macias, K. A.

Bermejo, J., Antoranz, J. C., Yotti, R., Moreno, M. and García-Fernández, M. A.: spatio-temporal mapping of intracardiac pressure gradients. A

solution to Euler's equation from digital postprocessing of color Doppler M-mode echocardiograms, 621

Bertelsbeck, D. S., see Wallny, T. A.

Berthomier, C., Herment, A., Giovannelli, J. F., Guidi, G., Pourcelot, L. and Diebold, B.: multigate Doppler signal analysis using 3-D regularized long AR modelling, 1515

Bette, M., see Haake, M.

Beux, F., Carmassi, S., Salvetti, M. V., Ghiadoni, L., Huang, Y., Taddei, S. and Salvetti, A.: automatic evaluation of arterial diameter variation from vascular echographic images, 1621

Bevan, P. D. and Sherar, M. D.: B-scan ultrasound imaging of thermal coagulation in bovine liver: log envelope slope attenuation mapping, 379

Bevan, P. D. and Sherar, M. D.: B-scan ultrasound imaging of thermal coagulation in bovine liver: frequency shift attenuation mapping, 809

Bezemer, R. A., see Hekkenberg, R. T.

Bhatia, K. G. and Singh, V. R.: ultrasonic characteristics of leiomyoma uteri *in vitro*, 983

Bijnens, B., see Kowalski, M.

Bijnens, B., see Pislaru, C.

Bile

ultrasonographic assessment of gallbladder bile exchanges in healthy subjects and in gallstone patients (Cicala), 1445

Bilgen, M., see Varghese, T.

Bimmel, D., see Schlosser, T.

Bioeffects

absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat (Haake), 279

a comparison of the hemolytic potential of Optison™ and Albunex® in whole human blood *in vitro*: acoustic pressure, ultrasound frequency, donor and passive cavitation detection considerations (Miller), 709

apoptosis in ultrasound-produced threshold lesions in the rabbit brain (Vykhodtseva), 111

biological effects of ultrasound: development of safety guidelines. Part II: general review (Nyborg), 301 (Historical Review)

comparative sensitivity of human fetal and adult erythrocytes to hemolysis by pulsed 1 MHz ultrasound (Miller), 419

continuous and pulsed ultrasound do not increase heat shock protein 72 content (Locke), 1413

effects of pulsed ultrasound on development and glucose uptake of preimplantation mouse embryos (Ryo), 999

effects of ultrasound on the growth and function of bone and periodontal ligament cells *in vitro* (Harle), 579

EPR analysis of radicals generated in ultrasound-assisted lipoplasty simulated environment (Topaz), 851

impaired tensile strength after shock-wave application in an animal model of tendon calcification (Maier), 665

inhibition of carotid artery neointimal formation with intravenous microbubbles (Porter), 259

activation, aggregation and adhesion of platelets exposed to high-intensity focused ultrasound (Poliachik), 1567
lysis and sonoporation of epidermoid and phagocytic monolayer cells by diagnostic ultrasound activation of contrast agent gas bodies (Miller), 1107
measurements of bubble-enhanced heating from focused, MHz-frequency ultrasound in a tissue-mimicking material (Holt), 1399
pathological changes in human malignant carcinoma treated with high-intensity focused ultrasound (Wu), 1099
skeletal effects of low-intensity pulsed ultrasound on the ovariectomized rodent (Warden), 989
sonoluminescence as an indicator of cell membrane disruption by acoustic cavitation (Cochran), 841
superthreshold behavior of ultrasound-induced lung hemorrhage in adult mice and rats: role of pulse repetition frequency and exposure duration (O'Brien), 267
temporal and spatial evaluation of lesion reparative responses following superthreshold exposure of rat lung to pulsed ultrasound (Zachary), 829
the effect of therapeutic ultrasound on repair of the Achilles tendon (*tendon calcaneus*) of the rat (da Cunha), 1691
the mechanisms of stone fragmentation in ESWL (Eisenmenger), 683
thermal effects of focused ultrasound energy on bone tissue (Smith), 1427 (Technical Note)
transcranial ultrasound-improved thrombolysis: diagnostic versus therapeutic ultrasound (Behrens), 1683
ultrasound-induced physiological effects and secondary metabolite (Saponin) production in *Panax ginseng* cell cultures (Lin), 1147
use of overpressure to assess the role of bubbles in focused ultrasound lesion shape *in vitro* (Bailey), 695

Birkett, A. G., see Deng, J.

Birkett, A. G., see Deng, J.

Bismuth, J., see Kofoed, S. C.

Bladder
possible use of ultrasound estimated bladder weight in evaluating vesicoureteral reflux in children (Inaba), 1481

van Blankenstein, J. H., see Palanchon, P.

Blood
a comparison of the hemolytic potential of Optison™ and Albunex® in whole human blood *in vitro*: acoustic pressure, ultrasound frequency, donor and passive cavitation detection considerations (Miller), 709
comparative sensitivity of human fetal and adult erythrocytes to hemolysis by pulsed 1 MHz ultrasound (Miller), 419
influence of boundary conditions on a one-dimensional ultrasound backscattering model of blood (Lui), 571
nonlinear native propagation effects of diagnostic ultrasound computed and measured in blood (Filipczynski), 251

Bloodflow
comparison of visually evoked peak systolic and end diastolic blood flow velocity using a control system approach (Rosengarten), 1499

decorrelation characteristics of transverse blood flow along an intravascular array catheter: effects of aggregation of red blood cells (Lupotti), 409
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)
Doppler power variation from porcine blood under steady and pulsatile flow (Paeng), 1245
Doppler quantitative measures by region to discriminate prostate cancer (Potdevin), 1305
Doppler sonography measurement of portal blood flow velocity after glucagon injection in patients with chronic HCV infection (Sereno), 723 (Clinical Note)
dorsal aortic flow velocity in chick embryos of stage 16 to 28 (Ursem), 919
estimation of antithyroid drug dose in Graves' disease: value of quantification of thyroid blood flow with color duplex sonography (Saleh), 1137
evaluation of blood flow in the cerebral microcirculation: analysis of the refill kinetics during ultrasound contrast agent infusion (Seidel), 1059
measurement of cardiac function in conscious rats (Doursout), 195
neurovascular coupling and cerebral autoregulation can be described in terms of a control system (Rosengarten), 189
neurovascular coupling in terms of a control system: validation of a second-order linear system model (Rosengarten), 631
performance of time-frequency representation techniques to measure blood flow turbulence with pulsed-wave Doppler ultrasound (Cloutier), 535
test-retest reliability of functional transcranial Doppler ultrasonography (Stroobant), 509

Blue, J. P. Jr, see Zachary, J. F.

Bode, C., see Handke, M.

Bogdahn, U., see Schlachetzki, F.

Bolognesi, M., Sacerdoti, D., Merkel, C., Bombonato, G. and Gatta, A.: noninvasive grading of the severity of portal hypertension in cirrhotic patients by echo-color-Doppler, 901

Bolondi, L., see Piscaglia, F.

Bom, N., see Doyley, M. M.

Bom, N., see Palanchon, P.

Bombonato, G., see Bolognesi, M.

Bone
assessment of bone status using speed of sound at multiple anatomical sites (Njeh), 1337
bone material ultrasound velocity is predictive of whole bone strength (Mehta), 861 (Technical Note)
effects of ultrasound on the growth and function of bone and periodontal ligament cells *in vitro* (Harle), 579
skeletal effects of low-intensity pulsed ultrasound on the ovariectomized rodent (Warden), 989
thermal effects of focused ultrasound energy on bone tissue (Smith), 1427 (Technical Note)

Bone strength
bone material ultrasound velocity is predictive of whole bone strength (Mehta), 861 (Technical Note)

Book Review
handbook of medical imaging, processing and analysis (Fenster), 727
Doppler ultrasound: physics instrumentation and signal processing (2nd Edition) (Guidi), 727
ultrasonic instruments & devices - references for modern instrumentation, techniques and technology (Cochran), 1439
ultrasound: a practical approach to clinical problems (Weston), 295
vascular ultrasound of the neck: an interpretive atlas (Goss), 1717
Van Bortel, L. M., Vanmolkot, F. H., van der Heijden-Spek, J. J., Bregu, M., Staessen, J. A. and Hoeks, A. P.: does B-mode common carotid artery intima-media thickness differ from M-mode?, 1333

Botchan, A., see Eytan, O.

Bouakaz, A., see Palanchon, P.

Boughner, D. R., see Guo, Z.

Boughner, D. R., see Nadkarni, S. K.

Boukerroui, D., Noble, J. A. and Brady, M.: enhancement of contrast regions in suboptimal ultrasound images with application to echocardiography 1583

Brady, M., see Boukerroui, D.

Brain
apoptosis in ultrasound-produced threshold lesions in the rabbit brain (Vykhodtseva), 111
brain microembolic counts during extracorporeal circulation depend on aortic cannula position (Müllges), 933
comparison of visually evoked peak systolic and end diastolic blood flow velocity using a control system approach (Rosengarten), 1499
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)
estimated fetal cerebral ultrasound exposures from clinical examinations (Whittingham), 877
evaluation of blood flow in the cerebral microcirculation: analysis of the refill kinetics during ultrasound contrast agent infusion (Seidel), 1059
harmonic imaging of the brain parenchyma using a perfluorobutane-containing ultrasound contrast agent (Seidel), 915
infant cerebral ventricle volume: a comparison of 3-D ultrasound and magnetic resonance imaging (Gilmore), 1143
neurovascular coupling and cerebral autoregulation can be described in terms of a control system (Rosengarten), 189
neurovascular coupling in terms of a control system: validation of a second-order linear system model (Rosengarten), 631
quantification of flow rates using harmonic grey-scale imaging and an ultrasound contrast agent: an *in vitro* and *in vivo* study (Claassen), 83
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21

Brands, P. J., see Meinders, J. M.

Brandt, E., see Janerot-Sjöberg, B.

Brandt, E., see Pislaru, C.

Brayman, A. A., see Miller, M. W.

Brayman, A. A., see Miller, M. W.

Breast
a freehand elastographic imaging approach for clinical breast imaging: system development and performance evaluation (Doyley), 1347
cancer screening in a high risk population: a clinical trial (Taylor), 461
color Doppler ultrasound in breast carcinomas: relationship with hormone receptors, DNA ploidy, S-phase fraction, and histopathology (Chao), 351
fibroadenomas: computer-assisted quantitative evaluation of contrast-enhanced power Doppler features and correlation with histopathology (Huber), 3
freehand ultrasound elastography of breast lesions: clinical results (Hiltawsky), 1461
imaging with high frequency ultrasound (Reid), 1577 (Letter)
in vivo breast tissue backscatter measurement with 7.5- and 10-MHz transducers (Anderson), 75
stepwise logistic regression analysis of tumor contour features for breast ultrasound diagnosis (Chou), 1493
three-dimensional ultrasound-guided core needle breast biopsy (Smith), 1025
tissue classification with generalized spectrum parameters (Donohue), 1505

Bregu, M., see Van Bortel, L. M.

Bridal, S. L., see Fournier, C.

Bridal, S. L., see Lucidarme, O.

Broillet, A., see Seidel, G.

Bronson, D. G., see Mehta, S. S.

Bronson, R. T., see Vykhodtseva, N.

Brown, K. G., see Plett, M. I.

Bruce, M., see Tiemann, K.

Bruit
in vivo ultrasonic measurement of tissue vibration at a stenosis: a case study (Plett), 1049

Brusseau, E., Fromageau, J., Finet, G., Delachartre, P. and Vray, D.: axial strain imaging of intravascular data: results of polyvinyl alcohol cryogel phantoms and carotid artery, 1631

Bubble
contrast agent stability: a continuous B-mode imaging approach (Sboros), 1367
contrast-enhanced power Doppler imaging of normal and decreased blood flow in canine prostates (Hagen), 909
dynamics of bubble oscillation in constrained media and mechanisms of vessel rupture in SWL (Zhong), 119
enhancement of contrast regions in suboptimal ultrasound images with application to echocardiography (Boukerroui) 1583
evaluation of blood flow in the cerebral microcirculation: analysis of the refill kinetics during ultrasound contrast agent infusion (Seidel), 1059
feasibility of the flash-replenishment concept in renal tissue: which parameters affect the assessment of the contrast replenishment? (Schlosser), 937
fibroadenomas: computer-assisted quantitative evaluation of contrast-en-

hanced power Doppler features and correlation with histopathology (Huber), 3
harmonic imaging of the brain parenchyma using a perfluorobutane-containing ultrasound contrast agent (Seidel), 915
high-resolution functional imaging with ultrasound contrast agents based on RF processing in an *in vivo* kidney experiment (Verbeek), 223
human pharmacokinetics of a perfluorocarbon ultrasound contrast agent evaluated with gas chromatography (Correas), 565
improved 3-D-echocardiographic endocardial border delineation using the contrast agent FS069 (Optison®) transesophageal studies in a porcine model (Handke), 1185
in vitro quantification of flow using continuous infusion of Levovist and pairs of harmonic power Doppler images (Ugolini), 637
influence of respiration on myocardial signal intensity (Janerot-Sjöberg), 473
inhibition of carotid artery neointimal formation with intravenous microbubbles (Porter), 259
lysis and sonoporation of epidermoid and phagocytic monolayer cells by diagnostic ultrasound activation of contrast agent gas bodies (Miller), 1107
measurements of bubble-enhanced heating from focused, MHz-frequency ultrasound in a tissue-mimicking material (Holt), 1399
new technique for emboli detection and discrimination based on nonlinear characteristics of gas bubbles (Palanchon), 801
on the interaction between ultrasound and contrast agents during Doppler investigations (Tortoli), 1265
quantification of flow rates using harmonic grey-scale imaging and an ultrasound contrast agent: an *in vitro* and *in vivo* study (Claassen), 83
quantification of ultrasound contrast agent response: comparison of continuous wave Doppler and power Doppler to backscattered radiofrequency data (Lucidarme), 1379
reproducibility of contrast-enhanced transrectal ultrasound of the prostate (Sedelaar), 595
small intestine contrast ultrasonography (SICUS) in the diagnosis of small intestine lesions (Pallotta), 335
"stable" inertial cavitation (Church), 1435 (Technical Note)
the impact of emission power on the destruction of echo contrast agents and on the origin of tissue harmonic signals using power pulse-inversion imaging (Tiemann), 1525
tumor vascularization in experimental melanomas: correlation between unenhanced and contrast enhanced power Doppler imaging and histological grading (Schroeder), 761
ultrasound with Levovist® in the diagnosis of suspected calf vein thrombosis (Bucek), 455

Bucek, R. A., Kos, T., Schober, E., Zontsich, T., Haumer, M., Pötzi, C. and Minar, E.: ultrasound with Levovist® in the diagnosis of suspected calf vein thrombosis, 455

Bude, R. O., see Potdevin, T. C.

Burcher, M., see Atkinson, D.

Burks, T., , see Donohue, K. D.

Bush, N. L., see Doyley, M. M.

Büttner, T., see Meves, S. H.

C

CA125
cancer screening in a high risk population: a clinical trial (Taylor), 461

Calcaneus
quantitative ultrasound (QUS) at the calcaneus and hand phalanges in Polish healthy postmenopausal women (Pluskiewicz), 373

Calcific tendonitis
the role of high-resolution ultrasonography in management of calcific tendonitis of the rotator cuff (Chiou), 735

Caldas, J. G. M. P., see Molnár, L. J.

Calibration
beam calibration without a phantom for creating a 3-D freehand ultrasound system (Muratore), 1557

Cancer
cancer screening in a high risk population: a clinical trial (Taylor), 461
Doppler quantitative measures by region to discriminate prostate cancer (Potdevin), 1305
imaging with high frequency ultrasound (Reid), 1577 (Letter)
new lesions detected by intraoperative ultrasound during liver resection for hepatocellular carcinoma (Takigawa), 151
pathological changes in human malignant carcinoma treated with high-intensity focused ultrasound (Wu), 1099
short-time ultrasound of head and neck squamous cell carcinoma under radiotherapy (Miyashita), 13

Cancer screening
cancer screening in a high risk population: a clinical trial (Taylor), 461

Cao, P.-J., see Paeng, D.-G.

Cardiac function
measurement of cardiac function in conscious rats (Doursout), 195
the relation of the peak Doppler E-wave to peak mitral annulus velocity ratio to diastolic function (Lisauskas), 499

Cardiac gating
conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetal echocardiography (Deng), 51
online motion-gated dynamic three-dimensional echocardiography in the fetus - preliminary results (Deng), 43

Cardiac surgery
unilateral vs. bilateral ultrasound in the monitoring of cerebral microemboli (Moser), 757

Cardiac tissue
age-related alterations of cardiac tissue microstructure and material properties in Fischer 344 rats (Nguyen), 611

Cardinal, H. Neale., see Dabrowski, W.

Cardiomyopathy
ultrasonic tissue characterization can predict β-blocker efficacy in dilated cardiomyopathy (Kondo), 1079

Cardon, L. A., see Tsujino, H.

Carlier, S. G., see Doyley, M. M.

Carmassi, S., see Beux, F.

Carotid
accuracy of an electromagnetic three-dimensional ultrasound system for carotid artery imaging (Barratt), 1421 (Technical Note)
acoustic shadowing on B-mode ultrasound of the carotid artery predicts CHD (Hunt), 357
an objective method for grading ultrasound images of carotid artery plaques (Arnold), 1041
assessment of the spatial homogeneity of artery dimension parameters with high frame rate 2-D B-mode (Meinders), 785
automated embolus identification using a rule-based expert system (Fan), 1065
axial strain imaging of intravascular data: results of polyvinyl alcohol cryogel phantoms and carotid artery (Brusseau), 1631
does B-mode common carotid artery intima-media thickness differ from M-mode? (Van Bortel), 1333
Doppler mapping of direct carotid-cavernous fistulae (DCCF) (Molnár), 367
evaluation of voxel-based registration of 3-D power Doppler ultrasound and 3-D magnetic resonance angiographic images of carotid arteries (Slomka), 945
multigate Doppler signal analysis using 3-D regularized long AR modelling (Berthomier), 1515
optimisation and evaluation of an electromagnetic tracking device for high-accuracy three-dimensional ultrasound imaging of the carotid arteries (Barratt), 957
real-time spatial compound imaging improves reproducibility in the evaluation of atherosclerotic carotid plaques (Kofoed), 1311

Carson, P. L., see Potdevin, T. C.

Carstensen, E. L., see Church, C. C.

Case, C., see Haluska, B.

Cavitation
dynamics of bubble oscillation in constrained media and mechanisms of vessel rupture in SWL (Zhong), 119
a comparison of the hemolytic potential of Optison™ and Albunex® in whole human blood *in vitro*: acoustic pressure, ultrasound frequency, donor and passive cavitation detection considerations (Miller), 709
EPR analysis of radicals generated in ultrasound-assisted lipoplasty simulated environment (Topaz), 851
measurements of bubble-enhanced heating from focused, MHz-frequency ultrasound in a tissue-mimicking material (Holt), 1399
sonoluminescence as an indicator of cell membrane disruption by acoustic cavitation (Cochran), 841
"stable" inertial cavitation (Church), 1435 (Technical Note)
the mechanisms of stone fragmentation in ESWL (Eisenmenger), 683

use of overpressure to assess the role of bubbles in focused ultrasound lesion shape *in vitro* (Bailey), 695

Cell viability
sonoluminescence as an indicator of cell membrane disruption by acoustic cavitation (Cochran), 841

Cerebral
apoptosis in ultrasound-produced threshold lesions in the rabbit brain (Vykhodtseva), 111
brain microembolic counts during extracorporeal circulation depend on aortic cannula position (Müllges), 933
comparison of visually evoked peak systolic and end diastolic blood flow velocity using a control system approach (Rosengarten), 1499
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)
estimated fetal cerebral ultrasound exposures from clinical examinations (Whittingham), 877
evaluation of blood flow in the cerebral microcirculation: analysis of the refill kinetics during ultrasound contrast agent infusion (Seidel), 1059
harmonic imaging of the brain parenchyma using a perfluorobutane-containing ultrasound contrast agent (Seidel), 915
infant cerebral ventricle volume: a comparison of 3-D ultrasound and magnetic resonance imaging (Gilmore), 1143
neurovascular coupling and cerebral autoregulation can be described in terms of a control system (Rosengarten), 189
neurovascular coupling in terms of a control system: validation of a second-order linear system model (Rosengarten), 631
quantification of flow rates using harmonic grey-scale imaging and an ultrasound contrast agent: an *in vitro* and *in vivo* study (Claassen), 83
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21

Cerebral circulation
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)
neurovascular coupling in terms of a control system: validation of a second-order linear system model (Rosengarten), 631
unilateral vs. bilateral ultrasound in the monitoring of cerebral microemboli (Moser), 757

Cerebral exposure
estimated fetal cerebral ultrasound exposures from clinical examinations (Whittingham), 877

Cerri, G. G., Molnár, L. J.

Céspedes, E. I., see Doyley, M. M.

Céspedes, E. I., see Lupotti, F. A.

Chambless, L. E., see Hunt, K. J.

Chandler, W. L., see Poliachik, S. L.

Chang, C.-H., see Chen, M.-L.

Chang, C.-Y., see Chiou, H.-J.

Chang, F.-M., see Chen, M.-L.

Chang, T. Y., see Chou, Y.-H.

Chao, T.-C., Luo, Y.-F., Chen, S.-C. and Chen, M.-F.: color Doppler ultrasound in breast carcinomas: relationship with hormone receptors, DNA ploidy, S-phase fraction, and histopathology, 351

Charles, H. C., see Gilmore, J. H.

Chelly, J. E., see Doursout, M.-F.

Chen, C.-L., see Ho, Y.-L.

Chen, C.-M., Lu, H. H.-S. and Hsiao, A.-T.: a dual snake model of high penetrability for ultrasound image boundary extraction, 1651

Chen, C.-M., Lu, H. H.-S. and Han, K.-C.: a textural approach based on Gabor functions for texture edge detection in ultrasound images, 515

Chen, C.-N., see Hsiao, T.-Y.

Chen, D., see Cloutier, G.

Chen, M.-F., see Chao, T.-C.

Chen, M.-F., see Ho, Y.-L.

Chen, M.-L., Chang, C.-H., Yu, C.-H., Cheng, Y.-C. and Chang, F.-M.: prenatal diagnosis of cleft palate by three-dimensional ultrasound, 1017

Chen, S.-C., see Chao, T.-C.

Chen, W.-Z., see Wu, F.

Chen, X., see Zhang, D.

Cheng, Y.-C., see Chen, M.-L.

Chi, E., see Vaezy, S.

Chiang, H. K., see Chou, Y.-H.

chickembryo,dorsal aortic flow velocity in chick embryos of stage 16 to 28 (Ursem), 919

Chiou, H.-J., Chou, Y.-H., Wu, J.-J., Huang, T.-F., Ma, H.-L., Hsu, C.-C. and Chang, C.-Y.: the role of high-resolution ultrasonography in management of calcific tendonitis of the rotator cuff, 735

Chou, Y.-H., see Chiou, H.-J.

Chou, Y.-H., Tiu, C.-M., Hung, G.-S., Wu, S.-C., Chang, T. Y. and Chiang, H. K.: stepwise logistic regression analysis of tumor contour features for breast ultrasound diagnosis, 1493

Chronic Hepatitis C

Doppler sonography measurement of portal blood flow velocity after glucagon injection in patients with chronic HCV infection (Sereno), 723 (Clinical Note)

Chuang, M. L., Hibberd, M. G., Beaudin, R. A., Mooney, M. G., Riley, M. F., Fearnside, J. T. and Douglas, P. S.: patient motion compensation during transthoracic 3-D echocardiography, 203

Church, C. C. and Carstensen, E. L.: "stable" inertial cavitation, 1435 (Technical Note)

Cicala, M., Guarino, M. P. L., Vavassori, P., Alloni, R., Emerenziani, S., Arullani, A. and Pallone, F.: ultrasonographic assessment of gallbladder bile exchanges in healthy subjects and in gallstone patients, 1445

Cipic, R., see Pislaru, C.

Cirrhosis
noninvasive grading of the severity of portal hypertension in cirrhotic patients by echo-color-Doppler (Bolognesi), 901

Claassen, L., see Seidel, G.

Claassen, L., Seidel, G. and Algermissen, C.: quantification of flow rates using harmonic grey-scale imaging and an ultrasound contrast agent: an *in vitro* and *in vivo* study, 83

cleft palate
low-reflection-coefficient liquid interfaces for system characterization (Hall), 1003

Cloutier, G., Chen, D. and Durand, L.-G.: performance of time-frequency representation techniques to measure blood flow turbulence with pulsed-wave Doppler ultrasound, 535

CNS
ultrasound and the developing central nervous system (Ziskin), 875

Cobbold, R. S. C., see Lui, E. Y. L.

Cobbold, R. S. C., see Steinman, A. H.

Cochran, S. A. and Prausnitz, M. R.: sonoluminescence as an indicator of cell membrane disruption by acoustic cavitation, 841

Cochran, S.: ultrasonic instruments & devices - references for modern instrumentation, techniques and technology, 1439 (Book Review)

Cognition
test-retest reliability of functional transcranial Doppler ultrasonography (Stroobant), 509

Color Doppler
a real vessel phantom for flow imaging: 3-D Doppler ultrasound of steady flow (Dabrowski), 135
anthology for the origin and early days of color Doppler (Takeuchi), 439 (Letter)
cancer screening in a high risk population: a clinical trial (Taylor), 461
changes of tumor vascularity during gene therapy monitored with color Doppler US (Delorme), 1595
color Doppler detection of acoustic streaming in a hematoma model (Shi), 1255
color Doppler ultrasound in breast carcinomas: relationship with hormone receptors, DNA ploidy, S-phase fraction, and histopathology (Chao), 351
effects of transducer, velocity, Doppler angle, and instrument settings on the accuracy of color Doppler ultrasound (Stewart), 551
estimation of antithyroid drug dose in Graves' disease: value of quantification of thyroid blood flow with color duplex sonography (Saleh), 1137
noninvasive assessment of laryngeal phonation function using color Doppler ultrasound imaging (Hsiao), 1035
noninvasive assessment of vocal fold mucosal wave velocity using color Doppler imaging (Shau), 1451
noninvasive grading of the severity of portal hypertension in cirrhotic patients by echo-color-Doppler (Bolognesi), 901

quantitative assessment of *in vitro* jets based on three-dimensional color Doppler reconstruction (Guo), 235
real-time three-dimensional color Doppler echocardiography for characterizing the spatial velocity distribution and quantifying the peak flow rate in the left ventricular outflow tract (Tsujino), 69
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21
spatio-temporal mapping of intracardiac pressure gradients. A solution to Euler's equation from digital postprocessing of color Doppler M-mode echocardiograms (Bermejo), 621
ultrasound with Levovist® in the diagnosis of suspected calf vein thrombosis (Bucek), 455

Color pixel density
fibroadenomas: computer-assisted quantitative evaluation of contrast-enhanced power Doppler features and correlation with histopathology (Huber), 3

Compounding
real-time spatial compound imaging improves reproducibility in the evaluation of atherosclerotic carotid plaques (Kofoed), 1311

Continuous wavelet transform
wavelet-based edge detection in ultrasound images (Kaspersen), 89

Contrast
"stable" inertial cavitation (Church), 1435 (Technical Note)
contrast agent stability: a continuous B-mode imaging approach (Sboros), 1367
contrast-enhanced power Doppler imaging of normal and decreased blood flow in canine prostates (Hagen), 909
dynamics of bubble oscillation in constrained media and mechanisms of vessel rupture in SWL (Zhong), 119
enhancement of contrast regions in suboptimal ultrasound images with application to echocardiography (Boukerroui), 1583
evaluation of blood flow in the cerebral microcirculation: analysis of the refill kinetics during ultrasound contrast agent infusion (Seidel), 1059
feasibility of the flash-replenishment concept in renal tissue: which parameters affect the assessment of the contrast replenishment? (Schlosser), 937
fibroadenomas: computer-assisted quantitative evaluation of contrast-enhanced power Doppler features and correlation with histopathology (Huber), 3
harmonic imaging of the brain parenchyma using a perfluorobutane-containing ultrasound contrast agent (Seidel), 915
high-resolution functional imaging with ultrasound contrast agents based on RF processing in an *in vivo* kidney experiment (Verbeek), 223
human pharmacokinetics of a perfluorocarbon ultrasound contrast agent evaluated with gas chromatography (Correas), 565
improved 3-D-echocardiographic endocardial border delineation using the contrast agent FS069 (Optison®) transesophageal studies in a porcine model (Handke), 1185

in vitro quantification of flow using continuous infusion of Levovist and pairs of harmonic power Doppler images (Ugolini), 637
influence of respiration on myocardial signal intensity (Janerot-Sjöberg), 473
inhibition of carotid artery neointimal formation with intravenous microbubbles (Porter), 259
lysis and sonoporation of epidermoid and phagocytic monolayer cells by diagnostic ultrasound activation of contrast agent gas bodies (Miller), 1107
measurements of bubble-enhanced heating from focused, MHz-frequency ultrasound in a tissue-mimicking material (Holt), 1399
new technique for emboli detection and discrimination based on nonlinear characteristics of gas bubbles (Palanchon), 801
on the interaction between ultrasound and contrast agents during Doppler investigations (Tortoli), 1265
quantification of flow rates using harmonic grey-scale imaging and an ultrasound contrast agent: an *in vitro* and *in vivo* study (Claassen), 83
quantification of ultrasound contrast agent response: comparison of continuous wave Doppler and power Doppler to backscattered radiofrequency data (Lucidarme), 1379
reproducibility of contrast-enhanced transrectal ultrasound of the prostate (Sedelaar), 595
small intestine contrast ultrasonography (SICUS) in the diagnosis of small intestine lesions (Pallotta), 335
the impact of emission power on the destruction of echo contrast agents and on the origin of tissue harmonic signals using power pulse-inversion imaging (Tiemann), 1525
tumor vascularization in experimental melanomas: correlation between unenhanced and contrast enhanced power Doppler imaging and histological grading (Schroeder), 761
ultrasound with Levovist® in the diagnosis of suspected calf vein thrombosis (Bucek), 455

Contrast resolution
strain compounding: spatial resolution and performance on human images (Li), 1535

Corazziari, E., see Pallotta, N.

Coronary flow reserve
ultrasonographic assessment of coronary flow reserve and abdominal fat in obesity (Kondo), 1199

Coronary heart disease
acoustic shadowing on B-mode ultrasound of the carotid artery predicts CHD (Hunt), 357

Correas, J. M., see Lucidarme, O.

Correas, J.-M., Meuter, A. R., Singlas, E., Kessler, D. R., Worah, D. and Quay, S. C.: human pharmacokinetics of a perfluorocarbon ultrasound contrast agent evaluated with gas chromatography, 565

Corsi, M., see Tortoli, P.

Cosgrove, D. O., see Welsh, A. W.

Couret, L. N., see Bailey, M. R.

Courtois, M., see Lisauskas, J.

Cox, C., see Miller, M. W.

Cox, C., see Miller, M. W.

Cranial scanning
a comparison of linear-array and mechanical-sector cranial ultrasound scanning techniques to predict neurodevelopmental outcome at 8 years in preterm newborn infants (Roth), 467

Cross sectional area
serial measurement of cross-sectional area in peripheral vein grafts using three-dimensional ultrasound (Leotta), 61

Crum, L. A., see Bailey, M. R.

Crum, L. A., see Poliachik, S. L.

Crum, L. A., see Shi, X.

Crum, L. A., see Vaezy, S.

Cullinane, M. and Markus, H. S.: evaluation of a 1 MHz transducer for transcranial Doppler ultrasound including embolic signal detection, 795

da Cunha, A., Parizotto, N. A. and de Campos Vidal, B.: the effect of therapeutic ultrasound on repair of the Achilles tendon (*tendon calcaneus*) of the rat, 1691

Czembirek, H., see Huber, S.

D

Dabrowski, W., Dunmore-Buyze, J., Cardinal, H. N. and Fenster, A.: a real vessel phantom for flow imaging: 3-D Doppler ultrasound of steady flow, 135

Daffertshofer, M., see Behrens, S.

Daly, C. J. and Rao, N. A. H. K.: spatial averaging in the beam of a piston transducer, 643

Daniels, O., see Kaputsa, L.

Daphtary, M. M., see Mehta, S. S.

Data transfer
telemedicine in ultrasound: new solutions (Heer), 1239

Davies, A. H., see Barratt, D. C.

Davies, A. H., see Barratt, D. C.

Davies, L. K., see Moser, D. J.

de Campos Vidal, B., see da Cunha, A.

de Jong, N., see Palanchon, P.

de Korte, C. L., see Doyley, M. M.

de la Rosette, J. J. M. C. H., see Sedelaar, J. P. M.

Declerck, J., see Atkinson, D.

Decorrelation
decorrelation characteristics of transverse blood flow along an intravascular array catheter: effects of aggregation of red blood cells (Lupotti), 409

volume flow measurement using Doppler and grey-scale decorrelation (Rubin), 101

Del Fabbro, D., see Torzilli, G.

Delachartre, P., see Brusseau, E.

Deligonul, U., see Porter, T. R.

Delius, M., see Maier, M.

Delorme, S., Haberkorn, U., Kinscherf, R., Zuna, I., Bahner, M. L. and van Kaick, G.: changes of tumor vascularity during gene therapy monitored with color Doppler US, 1595

Delorme, S., see Huber, S.

Delouche, A., see Ugolini, P.

Dempfle, C. E., see Behrens, S.

Deng, J., Birkett, A. G., Kalache, K. D., Hanson, M. A., Peebles, D. M., Linney, A. D., Lees, W. R. and Rodeck, C. H.: conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetal echocardiography, 51

Deng, J., Yates, R., Birkett, A. G., Ruff, C. F., Linney, A. D., Lees, W. R., Hanson, M. A. and Rodeck, C. H.: online motion-gated dynamic three-dimensional echocardiography in the fetus - preliminary results, 43

Dermis
high-frequency ultrasonic attenuation and backscatter coefficients of *in vivo* normal human dermis and subcutaneous fat (Raju), 1543
reproducibility of skin characterization with backscattered spectra (12-25 MHz) in healthy subjects (Fournier), 603

Dern, P., see Handke, M.

D'hooge, J., see Kowalski, M.

D'hooge, J., see Pislaru, C.

Diameter
automatic evaluation of arterial diameter variation from vascular echographic images (Beux), 1621

Diebold, B., see Berthomier, C.

Diebold, B., see Ugolini, P.

Dietrich, J. M., see Guo, Z.

Diffraction
spatial averaging in the beam of a piston transducer (Daly), 643

Dilley, A., Greening, J., Lynn, B., Leary, R. and Morris, V.: the use of cross-correlation analysis between high-frequency ultrasound images to measure longitudinal median nerve movement, 1211

Distensibililty
dynamic behaviour of the common femoral artery: age and gender of minor importance (Ahlgren), 181

DNA ploidy
color Doppler ultrasound in breast carcinomas: relationship with hormone receptors, DNA ploidy, S-phase fraction, and histopathology (Chao), 351

Donati, G., see Piscaglia, F.

Dong, F., see Hall, T. J.

Donohue, K. D., Huang, L., Burks, T., Forsberg, F. and Piccoli, C. W.: tissue classification with generalized spectrum parameters, 1505

Doppler
a real vessel phantom for flow imaging: 3-D Doppler ultrasound of steady flow (Dabrowski), 135
associations of aortic windkessel function with age, gender and cardiovascular risk factors (Nagai), 1207
automated embolus identification using a rule-based expert system (Fan), 1065
brain microembolic counts during extracorporeal circulation depend on aortic cannula position (Müllges), 933
cancer screening in a high risk population: a clinical trial (Taylor), 461
changes of tumor vascularity during gene therapy monitored with color Doppler US (Delorme), 1595
color Doppler detection of acoustic streaming in a hematoma model (Shi), 1255
color Doppler ultrasound in breast carcinomas: relationship with hormone receptors, DNA ploidy, S-phase fraction, and histopathology (Chao), 351
construction and geometric stability of physiological flow rate wall-less stenosis phantoms (Ramnarine), 245
contrast-enhanced power Doppler imaging of normal and decreased blood flow in canine prostates (Hagen), 909
conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetal echocardiography (Deng), 51
development of three-dimensional power Doppler ultrasound imaging of fetoplacental vasculature (Welsh), 1161
discriminative ability of conventional echocardiography and tissue Doppler imaging techniques for the detection of subclinical cardiotoxic effects of treatment with anthracyclines (Kapusta), 1605
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)

Doppler mapping of direct carotid-cavernous fistulae (DCCF) (Molnár), 367

Doppler power variation from porcine blood under steady and pulsatile flow (Paeng), 1245

Doppler quantitative measures by region to discriminate prostate cancer (Potdevin), 1305

Doppler sonography measurement of portal blood flow velocity after glucagon injection in patients with chronic HCV infection (Sereno), 723 (Clinical Note)

Doppler ultrasound: physics instrumentation and signal processing (2nd Edition) (Guidi), 727 (Book Review)
effects of transducer, velocity, Doppler angle, and instrument settings on the accuracy of color Doppler ultrasound (Stewart), 551

estimation of antithyroid drug dose in Graves' disease: value of quantification of thyroid blood flow with color duplex sonography (Saleh), 1137
evaluation of a 1 MHz transducer for transcranial Doppler ultrasound including embolic signal detection (Cullinane), 795
fibroadenomas: computer-assisted quantitative evaluation of contrast-enhanced power Doppler features and correlation with histopathology (Huber), 3
in vitro quantification of flow using continuous infusion of Levovist and pairs of harmonic power Doppler images (Ugolini), 637
multigate Doppler signal analysis using 3-D regularized long AR modelling (Berthomier), 1515
neurovascular coupling and cerebral autoregulation can be described in terms of a control system (Rosengarten), 189
neurovascular coupling in terms of a control system: validation of a second-order linear system model (Rosengarten), 631
noninvasive assessment of laryngeal phonation function using color Doppler ultrasound imaging (Hsiao), 1035
noninvasive assessment of vocal fold mucosal wave velocity using color Doppler imaging (Shau), 1451
noninvasive grading of the severity of portal hypertension in cirrhotic patients by echo-color-Doppler (Bolognesi), 901
noninvasive ultrasound measurement of shear rate in leg bypass grafts (Setty), 1485
on the interaction between ultrasound and contrast agents during Doppler investigations (Tortoli), 1265
on the relationship between power mode and pressure amplitude (Adler), 1291 (Technical Note)
online motion-gated dynamic three-dimensional echocardiography in the fetus - preliminary results (Deng), 43
quantification of ultrasound contrast agent response: comparison of continuous wave Doppler and power Doppler to backscattered radiofrequency data (Lucidarme), 1379
quantitative assessment of *in vitro* jets based on three-dimensional color Doppler reconstruction (Guo), 235
real-time three-dimensional color Doppler echocardiography for characterizing the spatial velocity distribution and quantifying the peak flow rate in the left ventricular outflow tract (Tsujino), 69
serial measurement of cross-sectional area in peripheral vein grafts using three-dimensional ultrasound (Leotta), 61
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21
sources of error in maximum velocity estimation using linear phased-array Doppler systems with steady flow (Steinman), 655
spatio-temporal mapping of intracardiac pressure gradients. A solution to Euler's equation from digital postprocessing of color Doppler M-mode echocardiograms (Bermejo), 621
test-retest reliability of functional transcranial Doppler ultrasonography (Stroobant), 509
the relation of the peak Doppler E-wave to peak mitral annulus velocity ratio to diastolic function (Lisauskas), 499
the role of high-resolution ultrasonography in management of calcific tendonitis of the rotator cuff (Chiou), 735

ultrasound with Levovist® in the diagnosis of suspected calf vein thrombosis (Bucek), 455
unilateral vs. bilateral ultrasound in the monitoring of cerebral microemboli (Moser), 757
value of splanchnic Doppler ultrasound in the diagnosis of portal hypertension (Piscaglia), 893
volume flow measurement using Doppler and grey-scale decorrelation (Rubin), 101

Dorenbeck, U., see Schlachetzki, F.

Douglas, P. S., see Chuang, M. L.

Doursout, M.-F., Wouters, P., Kashimoto, S., Hartley, C. J., Rabinovitz, R. and Chelly, J. E.: measurement of cardiac function in conscious rats, 195

Downey, D. B., see Smith, W. L.

Downey, D., see Slomka, P. J.

Doyley, M. M., Bamber, J. C., Fuechsel, F. and Bush, N. L.: a freehand elastographic imaging approach for clinical breast imaging: system development and performance evaluation, 1347

Doyley, M. M., Mastik, F., de Korte, C. L., Carlier, S. G., Céspedes, E. I., Serruys, P. W., Bom, N. and van der Steen, A. F. W.: advancing intravascular ultrasonic palpation toward clinical applications, 1471

Drake, W. M., see Njeh, C. F.

Drangova, M., see Nadkarni, S. K.

Drozdzowska, B., see Pluskiewicz, W.

Drug delivery
inhibition of carotid artery neointimal formation with intravenous microbubbles (Porter), 259
sonoluminescence as an indicator of cell membrane disruption by acoustic cavitation (Cochran), 841
van Druten, J. A. M., see Kaputsa, L.

Duck, F. A., see Lunt, M. J.

Dudley, N. J., see Gibson, N. M.

Dunmire, B., see Plett, M. I.

Dunmore-Buyze, J., see Dabrowski, W.

Durand, L.-G., see Cloutier, G.

Durand, L.-G., see Guo, Z.

DVT
ultrasound with Levovist® in the diagnosis of suspected calf vein thrombosis (Bucek), 455

E

Earley, C. J., see Nagai, Y.

ECG gating
in vitro simulation and quantification of temporal jitter artifacts in ECG-gated dynamic three-dimensional echocardiography (Nadkarni), 211

Echocardiography
accuracy of biphasic response, sustained improvement and worsening during Dobutamine echocardiography in predicting recovery of resting myocardial dysfunction after revascularization: comparison with Thallium-201 SPECT (Huang), 925
alterations of myocardial ultrasonic tissue characterization by coronary angioplasty in patients with chronic stable coronary artery disease (Lin), 1191
can natural strain and strain rate quantify regional myocardial deformation? A study in healthy subjects (Kowalski), 1087
conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetal echocardiography (Deng), 51
discriminative ability of conventional echocardiography and tissue Doppler imaging techniques for the detection of subclinical cardiotoxic effects of treatment with anthracyclines (Kapusta), 1605
enhancement of contrast regions in suboptimal ultrasound images with application to echocardiography (Boukerroui), 1583
improved 3-D-echocardiographic endocardial border delineation using the contrast agent FS069 (Optison®) transesophageal studies in a porcine model (Handke), 1185
in vitro simulation and quantification of temporal jitter artifacts in ECG-gated dynamic three-dimensional echocardiography (Nadkarni), 211
influence of respiration on myocardial signal intensity (Janerot-Sjöberg), 473
is there a change in myocardial nonlinearity during the cardiac cycle? (Pislaru), 389
myocardial rapid velocity distribution (Kanai), 481
online motion-gated dynamic three-dimensional echocardiography in the fetus - preliminary results (Deng), 43
patient motion compensation during transthoracic 3-D echocardiography (Chuang), 203
performance of time-frequency representation techniques to measure blood flow turbulence with pulsed-wave Doppler ultrasound (Cloutier), 535
quantitative regional analysis of myocardial wall motion (Jacob), 773
real-time three-dimensional color Doppler echocardiography for characterizing the spatial velocity distribution and quantifying the peak flow rate in the left ventricular outflow tract (Tsujino), 69
real-time three-dimensional intracardiac echocardiography (Light), 1177
respiratory motion compensation for 3D freehand echocardiography (Atkinson), 1615
spatio-temporal mapping of intracardiac pressure gradients. A solution to Euler's equation from digital postprocessing of color Doppler M-mode echocardiograms (Bermejo), 621
the impact of emission power on the destruction of echo contrast agents and on the origin of tissue harmonic signals using power pulse-inversion imaging (Tiemann), 1525
the relation of the peak Doppler E-wave to peak mitral annulus velocity ratio to diastolic function (Lisauskas), 499
transmural variation of myocardial attenuation measured with a clinical imager (Sosnovik), 1643
ultrasonographic assessment of coronary flow reserve and abdominal fat in obesity (Kondo), 1199

Edge detection
a textural approach based on Gabor functions for texture edge detection in ultrasound images (Chen), 515
an adaptive template-matching method and its application to the boundary detection of brachial artery ultrasound scans (Fan), 399
automated edge-detection technique for measurement of brachial artery reactivity: a comparison of concordance with manual measurements (Haluska), 1285 (Clinical Note)
wavelet-based edge detection in ultrasound images (Kaspersen), 89

Ehlgen, A., see Schlosser, T.

Ehlgen, A., see Tiemann, K.

Eisenmenger, W.: the mechanisms of stone fragmentation in ESWL, 683

Elad, D., see Eytan, O.

Elasticity
a freehand elastographic imaging approach for clinical breast imaging: system development and performance evaluation (Doyley), 1347
advancing intravascular ultrasonic palpation toward clinical applications (Doyley), 1471
contrast-transfer efficiency for continuously varying tissue moduli: simulation and phantom validation (Kallel), 1115
dynamic behaviour of the common femoral artery: age and gender of minor importance (Ahlgren), 181
elastic properties of tendon measured by two different approaches (Kuo), 1275
experimental corroboration of the nonstationary strain estimation errors in elastography (Varghese), 1677
freehand ultrasound elastography of breast lesions: clinical results (Hiltawsky), 1461
phase aberration effects in elastography (Varghese), 819
poroelastography: imaging the poroelastic properties of tissues (Konofagou), 1387

Elastic modulus
elastic properties of tendon measured by two different approaches (Kuo), 1275
contrast-transfer efficiency for continuously varying tissue moduli: simulation and phantom validation (Kallel), 1115
dynamic behaviour of the common femoral artery: age and gender of minor importance (Ahlgren), 181

Elastography
a freehand elastographic imaging approach for clinical breast imaging: system development and performance evaluation (Doyley), 1347
advancing intravascular ultrasonic palpation toward clinical applications (Doyley), 1471
contrast-transfer efficiency for continuously varying tissue moduli: simulation and phantom validation (Kallel), 1115
experimental corroboration of the nonstationary strain estimation errors in elastography (Varghese), 1677
freehand ultrasound elastography of breast lesions: clinical results (Hiltawsky), 1461
phase aberration effects in elastography (Varghese), 819

poroelastography: imaging the poroelastic properties of tissues (Konofagou), 1387

Electron paramagnetic resonance

EPR analysis of radicals generated in ultrasound-assisted lipoplasty simulated environment (Topaz), 851

Emboli

automated embolus identification using a rule-based expert system (Fan), 1065
brain microembolic counts during extracorporeal circulation depend on aortic cannula position (Müllges), 933
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)
evaluation of a 1 MHz transducer for transcranial Doppler ultrasound including embolic signal detection (Cullinane), 795
new technique for emboli detection and discrimination based on nonlinear characteristics of gas bubbles (Palanchon), 801
unilateral vs. bilateral ultrasound in the monitoring of cerebral microemboli (Moser), 757

Embolic detection

automated embolus identification using a rule-based expert system (Fan), 1065
brain microembolic counts during extracorporeal circulation depend on aortic cannula position (Müllges), 933
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)
evaluation of a 1 MHz transducer for transcranial Doppler ultrasound including embolic signal detection (Cullinane), 795
new technique for emboli detection and discrimination based on nonlinear characteristics of gas bubbles (Palanchon), 801
unilateral vs. bilateral ultrasound in the monitoring of cerebral microemboli (Moser), 757

Embolism

automated embolus identification using a rule-based expert system (Fan), 1065
brain microembolic counts during extracorporeal circulation depend on aortic cannula position (Müllges), 933
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)
evaluation of a 1 MHz transducer for transcranial Doppler ultrasound including embolic signal detection (Cullinane), 795
new technique for emboli detection and discrimination based on nonlinear characteristics of gas bubbles (Palanchon), 801
unilateral vs. bilateral ultrasound in the monitoring of cerebral microemboli (Moser), 757

Emerenziani, S., see Cicala, M.

Ermert, H., see Hiltawsky, K. M.

Error

a fast calibration method for 3-D tracking of ultrasound images using a spatial localizer (Pagoulatos), 1219

accuracy of an electromagnetic three-dimensional ultrasound system for carotid artery imaging (Barratt), 1421 (Technical Note)
accuracy of biphasic response, sustained improvement and worsening during Dobutamine echocardiography in predicting recovery of resting myocardial dysfunction after revascularization: comparison with Thallium-201 SPECT (Huang), 925
can natural strain and strain rate quantify regional myocardial deformation? A study in healthy subjects (Kowalski), 1087
effects of transducer, velocity, Doppler angle, and instrument settings on the accuracy of color Doppler ultrasound (Stewart), 551
experimental corroboration of the nonstationary strain estimation errors in elastography (Varghese), 1677
infant cerebral ventricle volume: a comparison of 3-D ultrasound and magnetic resonance imaging (Gilmore), 1143
optimisation and evaluation of an electromagnetic tracking device for high-accuracy three-dimensional ultrasound imaging of the carotid arteries (Barratt), 957
respiratory motion compensation for 3D freehand echocardiography (Atkinson), 1615
sources of error in maximum velocity estimation using linear phased-array Doppler systems with steady flow (Steinman), 655
three-dimensional ultrasound-guided core needle breast biopsy (Smith), 1025
tissue-mimicking materials for teaching sonographers and evaluation of their specifications after three years (Mokhtari-Dizaji), 1713 (Technical Note)
ultrasonic power balances - effect of a coupling window on the power measured from physiotherapy ultrasound units (Lunt), 1127
volume flow measurement using Doppler and grey-scale decorrelation (Rubin), 101

ESW
absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat (Haake), 279
impaired tensile strength after shock-wave application in an animal model of tendon calcification (Maier), 665
the mechanisms of stone fragmentation in ESWL (Eisenmenger), 683

ESWL
dynamics of bubble oscillation in constrained media and mechanisms of vessel rupture in SWL (Zhong), 119
the mechanisms of stone fragmentation in ESWL (Eisenmenger), 683

ESWT
absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat (Haake), 279

Evans, D. H., see Fan, L.

Evans, G. W., see Hunt, K. J.

Everbach, E. C., see Miller, M. W.

Eytan, O., Har-Toov, J., Fait, G., Yavetz, H., Hauser, R., Yogev, L., Botchan, A., Ben-Yosef, D., Elad, D. and Jaffa, A. J.: vascularity index distribution within the testis: a technique for guiding testicular sperm extraction, 1171

F

Fait, G., see Eytan, O.

Fan, B., see Njeh, C. F.

Fan, L., Evans, D. H. and Naylor, A. R.: automated embolus identification using a rule-based expert system, 1065

Fan, L., Santago, P., Riley, W. and Herrington, D. M.: an adaptive template-matching method and its application to the boundary detection of brachial artery ultrasound scans, 399

Farison, J. B., see Setty, S. P.

Fat
high-frequency ultrasonic attenuation and backscatter coefficients of *in vivo* normal human dermis and subcutaneous fat (Raju), 1543
ultrasonographic assessment of coronary flow reserve and abdominal fat in obesity (Kondo), 1199

Fearnside, J. T., see Chuang, M. L.

Federlein, J., see Meves, S. H.

Feldkamp, J., see Saleh, A.

Felisi, R., see Torzilli, G.

Femoral artery
dynamic behaviour of the common femoral artery: age and gender of minor importance (Ahlgren), 181

Fenster, A., see Dabrowski, W.

Fenster, A., see Guo, Z.

Fenster, A., see Nadkarni, S. K.

Fenster, A., see Slomka, P. J.

Fenster, A., see Smith, W. L.

Fenster, A.: handbook of medical imaging, processing and analysis, 727 (Book Review)

Ferneyhough, K. C., see Moser, D. J.

Fetal abnormality
low-reflection-coefficient liquid interfaces for system characterization (Hall), 1003

Fetal lung
ultrasonic characterization of maturation of fetal lung microstructure: an animal study (Ossant), 157

Fetus
conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetal echocardiography (Deng), 51
low-reflection-coefficient liquid interfaces for system characterization (Hall), 1003
online motion-gated dynamic three-dimensional echocardiography in the fetus - preliminary results (Deng), 43

ultrasonic characterization of maturation of fetal lung microstructure: an animal study (Ossant), 157

Fibroadenoma
fibroadenomas: computer-assisted quantitative evaluation of contrast-enhanced power Doppler features and correlation with histopathology (Huber), 3

Filipczynski, L., Wójcik, J., Kujawska, T., Lypacewicz, G., Tymkiewicz, R. and Zienkiewicz, B.: nonlinear native propagation effects of diagnostic ultrasound computed and measured in blood, 251

Finet, G., see Brusseau, E.

Fisk, N. M., see Welsh, A. W.

Flet, J. L., see Nagai, Y.

Flow
comparison of visually evoked peak systolic and end diastolic blood flow velocity using a control system approach (Rosengarten), 1499
construction and geometric stability of physiological flow rate wall-less stenosis phantoms (Ramnarine), 245
decorrelation characteristics of transverse blood flow along an intravascular array catheter: effects of aggregation of red blood cells (Lupotti), 409
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)
Doppler power variation from porcine blood under steady and pulsatile flow (Paeng), 1245
Doppler quantitative measures by region to discriminate prostate cancer (Potdevin), 1305
Doppler sonography measurement of portal blood flow velocity after glucagon injection in patients with chronic HCV infection (Sereno), 723 (Clinical Note)
dorsal aortic flow velocity in chick embryos of stage 16 to 28 (Ursem), 919
effects of transducer, velocity, Doppler angle, and instrument settings on the accuracy of color Doppler ultrasound (Stewart), 551
estimation of antithyroid drug dose in Graves' disease: value of quantification of thyroid blood flow with color duplex sonography (Saleh), 1137
evaluation of blood flow in the cerebral microcirculation: analysis of the refill kinetics during ultrasound contrast agent infusion (Seidel), 1059
in vitro quantification of flow using continuous infusion of Levovist and pairs of harmonic power Doppler images (Ugolini), 637
measurement of cardiac function in conscious rats (Doursout), 195
multigate Doppler signal analysis using 3-D regularized long AR modelling (Berthomier), 1515
neurovascular coupling and cerebral autoregulation can be described in terms of a control system (Rosengarten), 189
neurovascular coupling in terms of a control system: validation of a second-order linear system model (Rosengarten), 631
noninvasive ultrasound measurement of shear rate in leg bypass grafts (Setty), 1485
performance of time-frequency representation techniques to measure blood flow turbulence with pulsed-wave Doppler ultrasound (Cloutier), 535
quantification of flow rates using harmonic grey-scale imaging and an ultrasound contrast agent: an *in vitro* and *in vivo* study (Claassen), 83

quantitative assessment of *in vitro* jets based on three-dimensional color Doppler reconstruction (Guo), 235
sources of error in maximum velocity estimation using linear phased-array Doppler systems with steady flow (Steinman), 655
test-retest reliability of functional transcranial Doppler ultrasonography (Stroobant), 509
volume flow measurement using Doppler and grey-scale decorrelation (Rubin), 101

Flow imaging
a real vessel phantom for flow imaging: 3-D Doppler ultrasound of steady flow (Dabrowski), 135

Flow jets
quantitative assessment of *in vitro* jets based on three-dimensional color Doppler reconstruction (Guo), 235

Flow profile
real-time three-dimensional color Doppler echocardiography for characterizing the spatial velocity distribution and quantifying the peak flow rate in the left ventricular outflow tract (Tsujino), 69

Folsom, A. R., see Hunt, K. J.

Forsberg, F., see Donohue, K. D.

Forsberg, F., see Hagen, E. K.

Forwood, M. R., , see Warden, S. J.

Fournier, C., Bridal, S. L., Berger, G. and Laugier, P.: reproducibility of skin characterization with backscattered spectra (12-25 MHz) in healthy subjects, 603

Fowlkes, J. B., see Potdevin, T. C.

Fowlkes, J. B., see Rubin, J. M.

Fox, K. A. A., see Gatzoulis, L.

Frank, G. R., see Hall, T. J.

Franke, D., see Müllges, W.

Frequency dependence
in vivo breast tissue backscatter measurement with 7.5- and 10-MHz transducers (Anderson), 75

Frizzell, L. A., see O'Brien, W. D., Jr.

Frizzell, L. A., see Zachary, J. F.

Fromageau, J., see Brusseau, E.

Fuechsel, F., see Doyley, M. M.

Functional images
high-resolution functional imaging with ultrasound contrast agents based on RF processing in an *in vivo* kidney experiment (Verbeek), 223

Functional TCD
test-retest reliability of functional transcranial Doppler ultrasonography (Stroobant), 509

Fürst, G., see Saleh, A.

G

Gabor functions
a textural approach based on Gabor functions for texture edge detection in ultrasound images (Chen), 515

Gaiani, S., see Piscaglia, F.

Gallbladder
ultrasonographic assessment of gallbladder bile exchanges in healthy subjects and in gallstone patients (Cicala), 1445

Galloway, R. L., Jr., see Muratore, D. M.

Garcia, R. G. C., see Molnár, L. J.

García-Fernández, M. A., see Bermejo, J.

Gating
in vitro simulation and quantification of temporal jitter artifacts in ECG-gated dynamic three-dimensional echocardiography (Nadkarni), 211

Gatta, A., see Bolognesi, M.

Gatzoulis, L., Watson, R. J., Jordan, L. B., Pye, S. D., Anderson, T., Uren, N., Salter, D. M., Fox, K. A. A. and McDicken, W. N.: three-dimensional forward-viewing intrasvascular ultrasound imaging of human arteries *in vitro*, 969

Gedanken, A., see Topaz, M.

Geibel, A., see Handke, M.

Genant, H. K., see Njeh, C. F.

Gender
associations of aortic windkessel function with age, gender and cardiovascular risk factors (Nagai), 1207
dynamic behaviour of the common femoral artery: age and gender of minor importance (Ahlgren), 181

Genetherapy
changes of tumor vascularity during gene therapy monitored with color Doppler US (Delorme), 1595
inhibition of carotid artery neointimal formation with intravenous microbubbles (Porter), 259

Gerig, G., see Gilmore, J. H.

Ghanem, A., see Tiemann, K.

Ghiadoni, L., see Beux, F.

Gibson, N. M., Dudley, N. J. and Griffith, K.: a computerized ultrasound quality control testing system for B-mode ultrasound, 1697

Gilmore, J. H., Gerig, G., Specter, B., Charles, H. C., Wilber, J. S., Hertzberg, B. S. and Kliewer, M. A.: infant cerebral ventricle volume: a comparison of 3-D ultrasound and magnetic resonance imaging, 1143

Giovannelli, J. F., see Berthomier, C.

Gittenberger de Groot, A. C., see Ursem, N. T. C.

Gnocchi, P., see Torzilli, G.

Goenechea, J., see Schlosser, T.

Goglia, P., see Torzilli, G.

Goldberg, B. B., see Hagen, E. K.

Gomella, L. G., see Hagen, E. K.

Gong, X.-f., see Zhang, D.

Goossen, T. E. B., see Sedelaar, J. P. M.

Goss, D. E. : vascular ultrasound of the neck: an interpretive atlas, 1717 (Book Review)

Gramantieri, L., see Piscaglia, F.

Greenberg, N. L., see Tsujino, H.

Greening, J., see Dilley, A.

Greiffenberg, B., see Schlachetzki, F.

Griffith, K., see Gibson, N. M.

Grigorian, M., see Njeh, C. F.

Grimm, F., see Maier, M.

Gritzmann, N., see Rettenbacher, T.

Grønholdt, M.-L. M., see Kofoed, S. C.

Groot-Loonen, J., see Kaputsa, L.

Grust, A., see Saleh, A.

Guarino, M. P. L., see Cicala, M.

Guidance
beam calibration without a phantom for creating a 3-D freehand ultrasound system (Muratore), 1557
ultrasound-guided reduction of an incarcerated spigelian hernia (Torzilli), 1133
three-dimensional ultrasound-guided core needle breast biopsy (Smith), 1025

Guidi, G. and Tortoli, P.: Doppler ultrasound: physics instrumentation and signal processing (2nd Edition), 727 (Book Review)

Guidi, G., see Berthomier, C.

Guo, Z., Boughner, D. R., Dietrich, J. M., Pflugfelder, P. W., Durand, L.-G., Loew, M. and Fenster, A.: quantitative assessment of *in vitro* jets based on three-dimensional color Doppler reconstruction, 235

H

Haake, M., Thon, A. and Bette, M.: absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat, 279

ter Haar, G., see Bailey, M. R.

Haberkorn, U., see Delorme, S.

Hagen, E. K., Forsberg, F., Liu, J.-B., Gomella, L. G., Aksnes, A.-K., Merton, D. A., Johnson, D. and Goldberg, B. B.: contrast-enhanced power Doppler imaging of normal and decreased blood flow in canine prostates, 909

Hall, C. S., see Nguyen, C. T.

Hall, T. J., Madsen, E. L., Dong, F., Medina, I. R. and Frank, G. R.: low-reflection-coefficient liquid interfaces for system characterization, 1003

Haluska, B., Sutherland, A., Case, C., Kennedy, R. and Marwick, T. H.: automated edge-detection technique for measurement of brachial artery reactivity: a comparison of concordance with manual measurements, 1285 (Clinical Note)

Han, K.-C., see Chen, C.-M.

Handke, M., Schäfer, D. M., Heinrichs, G., Magosaki, E., Lutter, G., Dern, P., Bode, C. and Geibel, A.: improved 3-D-echocardiographic endocardial border delineation using the contrast agent FS069 (Optison®) transesophageal studies in a porcine model, 1185

Hansmann, M. E., see Wallny, T. A.

Hanson, M. A., see Deng, J.

Hanson, M. A., see Deng, J.

Harle, J., Salih, V., Mayia, F., Knowles, J. C. and Olsen, I.: effects of ultrasound on the growth and function of bone and periodontal ligament cells *in vitro*, 579

Harmonic generation
nonlinear native propagation effects of diagnostic ultrasound computed and measured in blood (Filipczynski), 251

Harmonic imaging
harmonic imaging of the brain parenchyma using a perfluorobutane-containing ultrasound contrast agent (Seidel), 915
quantification of flow rates using harmonic grey-scale imaging and an ultrasound contrast agent: an *in vitro* and *in vivo* study (Claassen), 83
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21

Harmonics
harmonic imaging of the brain parenchyma using a perfluorobutane-containing ultrasound contrast agent (Seidel), 915
new technique for emboli detection and discrimination based on nonlinear characteristics of gas bubbles (Palanchon), 801
nonlinear native propagation effects of diagnostic ultrasound computed and measured in blood (Filipczynski), 251
quantification of flow rates using harmonic grey-scale imaging and an ultrasound contrast agent: an *in vitro* and *in vivo* study (Claassen), 83
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21

Harrigan, T. P., see Konofagou, E. E.

Hartley, C. J., see Doursout, M.-F.

Har-Toov, J., see Eytan, O.

Hasbargen, U., see Heer, I. M.

Hatle, L., see Kowalski, M.

Hauff, P., see Schroeder, R.-J.

Haumer, M., see Bucek, R. A.

Hauser, R., see Eytan, O.

Haynes, W. G., see Moser, D. J.

Haynor, D. R. , see Pagoulatos, N.

Head
short-time ultrasound of head and neck squamous cell carcinoma under radiotherapy (Miyashita), 13
comparison of visually evoked peak systolic and end diastolic blood flow velocity using a control system approach (Rosengarten), 1499
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)
estimated fetal cerebral ultrasound exposures from clinical examinations (Whittingham), 877
evaluation of blood flow in the cerebral microcirculation: analysis of the refill kinetics during ultrasound contrast agent infusion (Seidel), 1059
infant cerebral ventricle volume: a comparison of 3-D ultrasound and magnetic resonance imaging (Gilmore), 1143
neurovascular coupling in terms of a control system: validation of a second-order linear system model (Rosengarten), 631
short-time ultrasound of head and neck squamous cell carcinoma under radiotherapy (Miyashita), 13

Heart
accuracy of biphasic response, sustained improvement and worsening during Dobutamine echocardiography in predicting recovery of resting myocardial dysfunction after revascularization: comparison with Thallium-201 SPECT (Huang), 925
alterations of myocardial ultrasonic tissue characterization by coronary angioplasty in patients with chronic stable coronary artery disease (Lin), 1191
can natural strain and strain rate quantify regional myocardial deformation? A study in healthy subjects (Kowalski), 1087
conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetal echocardiography (Deng), 51
discriminative ability of conventional echocardiography and tissue Doppler imaging techniques for the detection of subclinical cardiotoxic effects of treatment with anthracyclines (Kapusta), 1605
enhancement of contrast regions in suboptimal ultrasound images with application to echocardiography (Boukerroui), 1583
improved 3-D-echocardiographic endocardial border delineation using the contrast agent FS069 (Optison®) transesophageal studies in a porcine model (Handke), 1185
in vitro simulation and quantification of temporal jitter artifacts in ECG-gated dynamic three-dimensional echocardiography (Nadkarni), 211
influence of respiration on myocardial signal intensity (Janerot-Sjöberg), 473
is there a change in myocardial nonlinearity during the cardiac cycle? (Pislaru), 389
measurement of cardiac function in conscious rats (Doursout), 195
myocardial rapid velocity distribution (Kanai), 481
online motion-gated dynamic three-dimensional echocardiography in the fetus - preliminary results (Deng), 43
patient motion compensation during transthoracic 3-D echocardiography (Chuang), 203

performance of time-frequency representation techniques to measure blood flow turbulence with pulsed-wave Doppler ultrasound (Cloutier), 535
quantitative regional analysis of myocardial wall motion (Jacob), 773
real-time three-dimensional color Doppler echocardiography for characterizing the spatial velocity distribution and quantifying the peak flow rate in the left ventricular outflow tract (Tsujino), 69
real-time three-dimensional intracardiac echocardiography (Light), 1177
respiratory motion compensation for 3D freehand echocardiography (Atkinson), 1615
spatio-temporal mapping of intracardiac pressure gradients. A solution to Euler's equation from digital postprocessing of color Doppler M-mode echocardiograms (Bermejo), 621
the impact of emission power on the destruction of echo contrast agents and on the origin of tissue harmonic signals using power pulse-inversion imaging (Tiemann), 1525
the relation of the peak Doppler E-wave to peak mitral annulus velocity ratio to diastolic function (Lisauskas), 499
transmural variation of myocardial attenuation measured with a clinical imager (Sosnovik), 1643
ultrasonographic assessment of coronary flow reserve and abdominal fat in obesity (Kondo), 1199

Heart transplant
assessment of the myocardial changes in heart transplant recipients without evident acute myocardial rejection by integrated backscatter: comparison with simultaneous dobutamine stress echocardiography and ^{201}Thallium spect (Ho), 171

Heart valves
performance of time-frequency representation techniques to measure blood flow turbulence with pulsed-wave Doppler ultrasound (Cloutier), 535

Heating
measurements of bubble-enhanced heating from focused, MHz-frequency ultrasound in a tissue-mimicking material (Holt), 1399
ultrasound and the developing central nervous system (Ziskin), 875

Heat shock protein
continuous and pulsed ultrasound do not increase heat shock protein 72 content (Locke), 1413

Heer, I. M., Strauss, A., Müller-Egloff, S. and Hasbargen, U.: telemedicine in ultrasound: new solutions, 1239

van der Heijden-Spek, J. J., see Van Bortel, L. M.

Heinrichs, G., see Handke, M.

Heiss, G., see Hunt, K. J.

Hekkenberg, R. T., Beissner, K., Zeqiri, B., Bezemer, R. A. and Hodnett, M.: validated ultrasonic power measurements up to 20 W, 427

Helwegen, J., see Nagai, Y.

Hematoma
color Doppler detection of acoustic streaming in a hematoma model (Shi), 1255

Hemodynamics
dorsal aortic flow velocity in chick embryos of stage 16 to 28 (Ursem), 919
real-time three-dimensional color Doppler echocardiography for characterizing the spatial velocity distribution and quantifying the peak flow rate in the left ventricular outflow tract (Tsujino), 69

Hemolysis
a comparison of the hemolytic potential of Optison™ and Albunex® in whole human blood *in vitro*: acoustic pressure, ultrasound frequency, donor and passive cavitation detection considerations (Miller), 709
comparative sensitivity of human fetal and adult erythrocytes to hemolysis by pulsed 1 MHz ultrasound (Miller), 419

Hemorrhage
superthreshold behavior of ultrasound-induced lung hemorrhage in adult mice and rats: role of pulse repetition frequency and exposure duration (O'Brien), 267

Hemostasis
real-time visualization of high-intensity focused ultrasound treatment using ultrasound imaging (Vaezy), 33

Hennerici, M., see Behrens, S.

Hepatocellular carcinoma
new lesions detected by intraoperative ultrasound during liver resection for hepatocellular carcinoma (Takigawa), 151

Herment, A., see Berthomier, C.

Herment, A., see Ugolini, P.

Hernia
ultrasound-guided reduction of an incarcerated spigelian hernia (Torzilli), 1133

Herniorrhaphy
suture granulomas: sonography enables a correct preoperative diagnosis (Rettenbacher), 343

Herregods, M.-C., see Pislaru, C.

Herrington, D. M., see Fan, L.

Hertzberg, B. S., see Gilmore, J. H.

Heuser, L., see Hiltawsky, K. M.

Hibberd, M. G., see Chuang, M. L.

Hidajat, N., see Schroeder, R.-J.

HIFU
absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat (Haake), 279
activation, aggregation and adhesion of platelets exposed to high-intensity focused ultrasound (Poliachik), 1567
apoptosis in ultrasound-produced threshold lesions in the rabbit brain (Vykhodtseva), 111
pathological changes in human malignant carcinoma treated with high-intensity focused ultrasound (Wu), 1099

real-time visualization of high-intensity focused ultrasound treatment using ultrasound imaging (Vaezy), 33
thermal effects of focused ultrasound energy on bone tissue (Smith), 1427 (Technical Note)
use of overpressure to assess the role of bubbles in focused ultrasound lesion shape *in vitro* (Bailey), 695

Hiltawsky, K. M., Krüger, M., Starke, C., Heuser, L., Ermert, H. and Jensen, A.: freehand ultrasound elastography of breast lesions: clinical results, 1461

Hirao, K., see Kondo, I.

Hirao, K., see Kondo, I.

Hirouchi, J., see Miyashita, T.

Hiser, W. L., see Porter, T. R.

Ho, K.-P., see Lin, L.

Ho, Y.-L., Chen, C.-L., Hsu, R.-B., Lin, L.-C., Yen, R.-F., Lee, C.-M., Chen, M.-F. and Huang, P.-J.: assessment of the myocardial changes in heart transplant recipients without evident acute myocardial rejection by integrated backscatter: comparison with simultaneous dobutamine stress echocardiography and ^{201}Thallium spect, 171

Ho, Y.-L., see Huang, P.-J.

Ho, Y.-L., see Lin, L.-C.

Hodnett, M., see Hekkenberg, R. T.

Hoeks, A. P. G., see Meinders, J. M.

Hoeks, A. P. G., see Verbeek, X. A. A. M.

Hoeks, A. P., see Van Bortel, L. M.

Hoelscher, T., see Schlachetzki, F.

Holland, M. R., see Sosnovik, D. E.

Hollerweger, A., see Rettenbacher, T.

Holt, R. G. and Roy, R. A.: measurements of bubble-enhanced heating from focused, MHz-frequency ultrasound in a tissue-mimicking material, 1399

Hoskins, P. R., see Ramnarine, K. V.

Hsiao, A. –T., see Chen, C.-M.

Hsiao, T.-Y., see Shau, Y.-W.

Hsiao, T.-Y., Wang, C.-L., Chen, C.-N., Hsieh, F.-J. and Shau, Y.-W.: non-invasive assessment of laryngeal phonation function using color Doppler ultrasound imaging, 1035

Hsieh, F.-J., see Hsiao, T.-Y.

Hsieh, F.-J., see Shau, Y.-W.

Hsu, C.-C., see Chiou, H.-J.

Hsu, R.-B., see Ho, Y.-L.

Huang, L., see Donohue, K. D.

Huang, P.-J., Lin, L.-C., Yen, R.-F., Ho, Y.-L., Wu, C.-C., Hus, K.-L. and Kao, H.-L.: accuracy of biphasic response, sustained improvement and worsening during Dobutamine echocardiography in predicting recovery of

resting myocardial dysfunction after revascularization: comparison with Thallium-201 SPECT, 925

Huang, P.-J., see Ho, Y.-L.

Huang, T.-F., see Chiou, H.-J.

Huang, Y., see Beux, F.

Huber, S., Vesely, M., Zuna, I., Delorme, S. and Czembirek, H.: fibroadenomas: computer-assisted quantitative evaluation of contrast-enhanced power Doppler features and correlation with histopathology, 3

Hughes, A. D., see Barratt, D. C.

Hughes, A. D., see Barratt, D. C.

Humphries, K. N., see Barratt, D. C.

Humphries, K. N., see Barratt, D. C.

Humphries, K., see Welsh, A. W.

Hung, G.-S., see Chou, Y.-H.

Hunt, K. J., Sharrett, A. R., Chambless, L. E., Folsom, A. R., Evans, G. W. and Heiss, G.: acoustic shadowing on B-mode ultrasound of the carotid artery predicts CHD, 357

Hupertz, V., see Maier, M.

Hus, K.-L., see Huang, P.-J.

Huwendiek, O., see Rosengarten, B.

Huwendiek, O., see Rosengarten, B.

Hynynen, K., see Smith, N. B.

Hynynen, K., see Vykhodtseva, N.

I

Iacomi, F., see Sereno, S.

Idriss, S. F., see Light, E. D.

Image analysis

a dual snake model of high penetrability for ultrasound image boundary extraction (Chen), 1651

a textural approach based on Gabor functions for texture edge detection in ultrasound images (Chen), 515

an adaptive template-matching method and its application to the boundary detection of brachial artery ultrasound scans (Fan), 399

an objective method for grading ultrasound images of carotid artery plaques (Arnold), 1041

development of three-dimensional power Doppler ultrasound imaging of fetoplacental vasculature (Welsh), 1161

enhancement of contrast regions in suboptimal ultrasound images with application to echocardiography (Boukerroui), 1583

evaluation of voxel-based registration of 3-D power Doppler ultrasound and 3-D magnetic resonance angiographic images of carotid arteries (Slomka), 945

handbook of medical imaging, processing and analysis (Fenster), 727 (Book Review)

infant cerebral ventricle volume: a comparison of 3-D ultrasound and magnetic resonance imaging (Gilmore), 1143

spatio-temporal mapping of intracardiac pressure gradients. A solution to Euler's equation from digital postprocessing of color Doppler M-mode echocardiograms (Bermejo), 621
stepwise logistic regression analysis of tumor contour features for breast ultrasound diagnosis (Chou), 1493
the use of cross-correlation analysis between high-frequency ultrasound images to measure longitudinal median nerve movement (Dilley), 1211
tissue classification with generalized spectrum parameters (Donohue), 1505
transmural variation of myocardial attenuation measured with a clinical imager (Sosnovik), 1643
wavelet-based edge detection in ultrasound images (Kaspersen), 89

Image fusion
evaluation of voxel-based registration of 3-D power Doppler ultrasound and 3-D magnetic resonance angiographic images of carotid arteries (Slomka), 945

Image guidance
real-time visualization of high-intensity focused ultrasound treatment using ultrasound imaging (Vaezy), 33

Image processing
a dual snake model of high penetrability for ultrasound image boundary extraction (Chen), 1651
a textural approach based on Gabor functions for texture edge detection in ultrasound images (Chen), 515
an adaptive template-matching method and its application to the boundary detection of brachial artery ultrasound scans (Fan), 399
spatio-temporal mapping of intracardiac pressure gradients. A solution to Euler's equation from digital postprocessing of color Doppler M-mode echocardiograms (Bermejo), 621
transmural variation of myocardial attenuation measured with a clinical imager (Sosnovik), 1643

Inaba, M., Ukimura, O., Kawauchi, A., Iwata, T., Kanazawa, M., Ushijima, S., Ochiai, A., Kojima, M. and Miki, T.: possible use of ultrasound estimated bladder weight in evaluating vesicoureteral reflux in children, 1481

Intima-media
does B-mode common carotid artery intima-media thickness differ from M-mode? (Van Bortel), 1333
validation of *in vivo* noninvasive high-frequency ultrasonography of the arterial wall layers (Rodriguez-Macias), 751

Intra-cardiac scanning
real-time three-dimensional intracardiac echocardiography (Light), 1177

Intra-operative ultrasound
new lesions detected by intraoperative ultrasound during liver resection for hepatocellular carcinoma (Takigawa), 151

Iversen, P., see Porter, T. R.

IVUS
assessing spectral algorithms to predict atherosclerotic plaque composition with normalized and raw intravascular ultrasound data (Nair), 1319

axial strain imaging of intravascular data: results of polyvinyl alcohol cryogel phantoms and carotid artery (Brusseau), 1631
decorrelation characteristics of transverse blood flow along an intravascular array catheter: effects of aggregation of red blood cells (Lupotti), 409
three-dimensional forward-viewing intrasvascular ultrasound imaging of human arteries *in vitro* (Gatzoulis), 969

Iwado, Y., see Kondo, I.

Iwata, T., see Inaba, M.

J

Jacob, G., Noble, J. A., Kelion, A. D. and Banning, A. P.: quantitative regional analysis of myocardial wall motion, 773

Jaffa, A. J., see Eytan, O.

Jamal, F., see Kowalski, M.

Janerot-Sjöberg, B., von Schmalensee, N., Schreckenberger, A., Richter, A., Brandt, E., Kirkhorn, J. and Wilkenshoff, U.: influence of respiration on myocardial signal intensity, 473

Jensen, A., see Hiltawsky, K. M.

Jeschke, J., see Schroeder, R.-J.

Johnson, D., see Hagen, E. K.

Jones, M., see Tsujino, H.

Jordan, L. B., see Gatzoulis, L.

K

Kaczkowski, P., see Shi, X.
van Kaick, G., see Delorme, S.

Kalache, K. D., see Deng, J.

Kallel, F., Prihoda, C. D. and Ophir, J.: contrast-transfer efficiency for continuously varying tissue moduli: simulation and phantom validation, 1115

Kanai, H. and Koiwa, Y.: myocardial rapid velocity distribution, 481

Kanazawa, M., see Inaba, M.

Kao, H.-L., see Huang, P.-J.

Kao, H.-L., see Lin, L.-C.

Kaps, M., see Rosengarten, B.

Kaps, M., see Rosengarten, B.

Kaps, M., see Rosengarten, B.

Kapusta, L., Thijssen, J. M., Groot-Loonen, J., van Druten, J. A. M. and Daniels, O.: discriminative ability of conventional echocardiography and tissue Doppler imaging techniques for the detection of subclinical cardiotoxic effects of treatment with anthracyclines, 1605

Kashimoto, S., see Doursout, M.-F.

Kaspersen, J. H., Langø, T. and Lindseth, F.: wavelet-based edge detection in ultrasound images, 89

Kaufmann, A., see Rosengarten, B.

Kawauchi, A., see Inaba, M.

Kelion, A. D., see Jacob, G.

Kendler, D. L., see Njeh, C. F.

Kennedy, R., see Haluska, B.

Kessler, D. R., see Correas, J.-M.

Khokhlova, V. A., see Bailey, M. R.

Kidney
feasibility of the flash-replenishment concept in renal tissue: which parameters affect the assessment of the contrast replenishment? (Schlosser), 937
high-resolution functional imaging with ultrasound contrast agents based on RF processing in an *in vivo* kidney experiment (Verbeek), 223
history of ultrasound in nephrourology (Watanabe), 447 (Historical Review)

Kim, Y., see Pagoulatos, N.

Kinscherf, R., see Delorme, S.

Kirkbridge, V., see Roth, S.

Kirkhorn, J., see Janerot-Sjöberg, B.

Klein, J., see Palanchon, P.

Kliewer, M. A., see Gilmore, J. H.

Knapp, R. R., see Miller, M. W.

Knowles, J. C., see Harle, J.

Kofler, J. M. and Madsen, E. L.: improved method for determining resolution zones in ultrasound phantoms with spherical simulated lesions, 1667

Kofoed, S. C., Grønholdt, M.-L. M., Wilhjelm, J. E., Bismuth, J. and Sillesen, H.: real-time spatial compound imaging improves reproducibility in the evaluation of atherosclerotic carotid plaques, 1311

Kohno, M. see Kondo, I.

Kohno, M., see Kondo, I.

Koiwa, Y., see Kanai, H.

Kojima, M., see Inaba, M.

Kondo, I., Mizushige, K., Hirao, K., Nozaki, S., Tsuji, T., Masugata, H., Kohno, M. and Matsuo, H.: ultrasonographic assessment of coronary flow reserve and abdominal fat in obesity, 1199

Kondo, I., Mizushige, K., Nozaki, S., Iwado, Y., Hirao, K., Senda, S., Kohno, M. and Matsuo, H.: ultrasonic tissue characterization can predict β-blocker efficacy in dilated cardiomyopathy, 1079

Konofagou, E. E., Harrigan, T. P., Ophir, J. and Krouskop, T. A.: poroelastography: imaging the poroelastic properties of tissues, 1387

Kornet, L., see Meinders, J. M.

Kos, T., see Bucek, R. A.

Köster, J., see Schlosser, T.

Kosuge, T., see Takigawa, Y.

Kovács, S. J., see Lisauskas, J.

Kowalski, M., Kukulski, T., Jamal, F., D'hooge, J., Weidemann, F., Rademakers, F., Bijnens, B., Hatle, L. and Sutherland, G. R.: can natural strain and strain rate quantify regional myocardial deformation? A study in healthy subjects, 1087

Kraft, C. N., see Wallny, T. A.

Kricsfeld, D., see Porter, T. R.

Krouskop, T. A., see Konofagou, E. E.

Krüger, M., see Hiltawsky, K. M.

Kuban, B. D., see Nair, A.

Kujawska, T., see Filipczynski, L.

Kukulski, T., see Kowalski, M.

Kumazaki, T., see Miyashita, T.

Kuntz-Hehner, S., see Schlosser, T.

Kuntz-Hehner, S., see Tiemann, K.

Kuo, P.-L., Li. P.-C. and Li, M.-L.: elastic properties of tendon measured by two different approaches, 1275

L

Laghi, V., see Sereno, S.

Langø, T., see Kaspersen, J. H.

Länne, T., see Ahlgren, Å. R.

Larynx
noninvasive assessment of laryngeal phonation function using color Doppler ultrasound imaging (Hsiao), 1035
noninvasive assessment of vocal fold mucosal wave velocity using color Doppler imaging (Shau), 1451

Laugier, P., see Fournier, C.

Leary, R., see Dilley, A.

Lebertre, M., see Ossant, F.

Ledoux L. A. F., see Verbeek, X. A. A. M.

Lee, C.-M., see Ho, Y.-L.

Lee, Y.-T., see Lin, L.-C.

Lees, W. R., see Deng, J.

Lees, W. R., see Deng, J.

Left ventricular thickening
measurement of cardiac function in conscious rats (Doursout), 195

Leoni, P., see Torzilli, G.

Leotta, D. F., Primozich, J. F., Beach, K. W., Bergelin, R. O. and Strandness, D. E. Jr.: serial measurement of cross-sectional area in peripheral vein grafts using three-dimensional ultrasound, 61

Lewis, S. H., see Sosnovik, D. E.

Li, M.-L., see Kuo, P.-L.

Li, P.-C. and Wu, C.-L.: strain compounding: spatial resolution and performance on human images, 1535

Li. P.-C., see Kuo, P.-L.

Light, E. D., Idriss, S. F., Wolf, P. D. and Smith, S. W.: real-time three-dimensional intracardiac echocardiography, 1177

Lin, L., Wu, J., Ho, K.-P. and Qi, S.: ultrasound-induced physiological effects and secondary metabolite (Saponin) production in *Panax ginseng* cell cultures, 1147

Lin, L.-C., Kao, H.-L., Wu, C.-C., Ho, Y.-L. and Lee, Y.-T.: alterations of myocardial ultrasonic tissue characterization by coronary angioplasty in patients with chronic stable coronary artery disease, 1191

Lin, L.-C., see Ho, Y.-L.

Lin, L.-C., see Huang, P.-J.

Lindseth, F., see Kaspersen, J. H.

Linney, A. D., see Deng, J.

Linney, A. D., see Deng, J.

Lipoplasty

EPR analysis of radicals generated in ultrasound-assisted lipoplasty simulated environment (Topaz), 851

Lisauskas, J., Singh, J., Courtois, M. and Kovács, S. J.: the relation of the peak Doppler E-wave to peak mitral annulus velocity ratio to diastolic function, 499

Lithotripsy

dynamics of bubble oscillation in constrained media and mechanisms of vessel rupture in SWL (Zhong), 119

impaired tensile strength after shock-wave application in an animal model of tendon calcification (Maier), 665

the mechanisms of stone fragmentation in ESWL (Eisenmenger), 683

dynamics of bubble oscillation in constrained media and mechanisms of vessel rupture in SWL (Zhong), 119

Liu, J.-B., see Hagen, E. K.

Liver

B-scan ultrasound imaging of thermal coagulation in bovine liver: frequency shift attenuation mapping (Bevan), 809

noninvasive grading of the severity of portal hypertension in cirrhotic patients by echo-color-Doppler (Bolognesi), 901

value of splanchnic Doppler ultrasound in the diagnosis of portal hypertension (Piscaglia), 893

Locke, M. and Nussbaum, E.: continuous and pulsed ultrasound do not increase heat shock protein 72 content, 1413

Loew, M., see Guo, Z.

Lohmaier, S., see Schlosser, T.

Lohmaier, S., see Tiemann, K.

Lu, H. H.-S., see Chen, C.-M.

Lu, H. H.-S., see Chen, C.-M.

Lucidarme, O., Correas, J. M., Bridal, S. L. and Berger, G.: quantification of ultrasound contrast agent response: comparison of continuous wave Doppler and power Doppler to backscattered radiofrequency data, 1379

Lui, E. Y. L., Tavakkoli, J. and Cobbold, R. S. C.: influence of boundary conditions on a one-dimensional ultrasound backscattering model of blood, 571

Lumachi, V., see Torzilli, G.

Lung
superthreshold behavior of ultrasound-induced lung hemorrhage in adult mice and rats: role of pulse repetition frequency and exposure duration (O'Brien), 267
temporal and spatial evaluation of lesion reparative responses following superthreshold exposure of rat lung to pulsed ultrasound (Zachary), 829
ultrasonic characterization of maturation of fetal lung microstructure: an animal study (Ossant), 157

Lunt, M. J. and Duck, F. A.: ultrasonic power balances - effect of a coupling window on the power measured from physiotherapy ultrasound units, 1127

Luo, Y.-F., see Chao, T.-C.

Lupotti, F. A., Céspedes, E. I. and van der Steen, A. F. W.: decorrelation characteristics of transverse blood flow along an intravascular array catheter: effects of aggregation of red blood cells, 409

Lutter, G., see Handke, M.

lymph node
color Doppler ultrasound in breast carcinomas: relationship with hormone receptors, DNA ploidy, S-phase fraction, and histopathology (Chao), 351
short-time ultrasound of head and neck squamous cell carcinoma under radiotherapy (Miyashita), 13

Lynn, B., see Dilley, A.

Lypacewicz, G., see Filipczynski, L.

M

Ma, H.-L., see Chiou, H.-J.

Macheiner, P., see Rettenbacher, T.

Maciel, C. D., see Pereira, W. C. A.

Madsen, E. L., see Hall, T. J.

Madsen, E. L., see Kofler, J. M.

Maeurer, J., see Schroeder, R.-J.

Magosaki, E., see Handke, M.

Maier, M., Saisu, T., Beckmann, J., Delius, M., Grimm, F., Hupertz, V., Milz, S., Nerlich, A., Refior, H. J., Schmitz, C., Ueberle, F., Weiler, C. and Messmer, K.: impaired tensile strength after shock-wave application in an animal model of tendon calcification, 665

Makuuchi, M., see Takigawa, Y.

Mandel, J., see Slomka, P. J.

Marienhagen, J., see Schlachetzki, F.

Markus, H. S., see Cullinane, M.

Marsh, J., see Nguyen, C. T.

Martin, H., see Vykhodtseva, N.

Martin, K. and Spinks, D.: measurement of the speed of sound in ethanol/water mixtures, 289 (Technical Note)

Martin, R. W., see Shi, X.

Martin, R. W., see Vaezy, S.

Martin, R., see Bailey, M. R.

Martini
measurement of the speed of sound in ethanol/water mixtures (Martin), 289 (Technical Note)

Marwick, T. H., see Haluska, B.

Mastik, F., see Doyley, M. M.

Masugata, H., see Kondo, I.

Matsuo, H., see Kondo, I.

Matsuo, H., see Kondo, I.

Maturity
age-related alterations of cardiac tissue microstructure and material properties in Fischer 344 rats (Nguyen), 611
associations of aortic windkessel function with age, gender and cardiovascular risk factors (Nagai), 1207
dynamic behaviour of the common femoral artery: age and gender of minor importance (Ahlgren), 181
tissue-mimicking materials for teaching sonographers and evaluation of their specifications after three years (Mokhtari-Dizaji), 1713 (Technical Note)
ultrasonic characterization of maturation of fetal lung microstructure: an animal study (Ossant), 157

Mayia, F., see Harle, J.

McClung, M., see Njeh, C. F.

McDannold, N., see Vykhodtseva, N.

McDicken, W. N., see Gatzoulis, L.

McDicken, W. N., see Sboros, V.

McKeeken, J. M., see Warden, S. J.

Medina, I. R., see Hall, T. J.

Mehta, S. S., Antich, P. P., Daphtary, M. M., Bronson, D. G. and Richer, E.: bone material ultrasound velocity is predictive of whole bone strength, 861 (Technical Note)

Meinders, J. M., Brands, P. J., Willigers, J. M., Kornet, L. and Hoeks, A. P. G.: assessment of the spatial homogeneity of artery dimension parameters with high frame rate 2-D B-mode, 785

Melanoma
tumor vascularization in experimental melanomas: correlation between unenhanced and contrast enhanced power Doppler imaging and histological grading (Schroeder), 761

Merkel, C., see Bolognesi, M.

Merton, D. A., see Hagen, E. K.

Messmer, K., see Maier, M.

metastasis
short-time ultrasound of head and neck squamous cell carcinoma under radiotherapy (Miyashita), 13

Metrology
ultrasonic power balances - effect of a coupling window on the power measured from physiotherapy ultrasound units (Lunt), 1127
validated ultrasonic power measurements up to 20 W (Hekkenberg), 427

Metter, E. J., see Nagai, Y.

Meuter, A. R., see Correas, J.-M.

Meves, S. H., Schröder, A., Muhs, A., Postert, T., Federlein, J. and Büttner, T.: distribution of artificially-produced microembolic signals into the cerebral circulation, 285 (Clinical Note)

Meyer, K., see Seidel, G.

Meyer, K., see Seidel, G.

Meyerstein, D., see Topaz, M.

Meyerstein, N., see Topaz, M.

MI
superthreshold behavior of ultrasound-induced lung hemorrhage in adult mice and rats: role of pulse repetition frequency and exposure duration (O'Brien), 267

Michelassi, V., see Tortoli, P.

Middle cerebral artery
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21

Miki, T., see Inaba, M.

Miller, D. L. and Quddus, J.: lysis and sonoporation of epidermoid and phagocytic monolayer cells by diagnostic ultrasound activation of contrast agent gas bodies, 1107

Miller, J. G., see Sosnovik, D. E.

Miller, M. W., Brayman, A. A., Sherman, T. A., Abramowicz, J. S. and Cox, C.: comparative sensitivity of human fetal and adult erythrocytes to hemolysis by pulsed 1 MHz ultrasound, 419

Miller, M. W., Everbach, E. C., Cox, C., Knapp, R. R., Brayman, A. A. and Sherman, T. A.: a comparison of the hemolytic potential of Optison™ and Albunex® in whole human blood *in vitro*: acoustic pressure, ultrasound frequency, donor and passive cavitation detection considerations, 709

Miller, R. J., see Zachary, J. F.

Mills, G. R., see Smith, W. L.

Milz, S., see Maier, M.

Minar, E., see Bucek, R. A.

Mitral regurgitation
the relation of the peak Doppler E-wave to peak mitral annulus velocity ratio to diastolic function (Lisauskas), 499
quantitative assessment of *in vitro* jets based on three-dimensional color Doppler reconstruction (Guo), 235

Mitral valve
the relation of the peak Doppler E-wave to peak mitral annulus velocity ratio to diastolic function (Lisauskas), 499
quantitative assessment of *in vitro* jets based on three-dimensional color Doppler reconstruction (Guo), 235

Miyashita, T., Tateno, A., Horouchi, J., Nakamizo, M., Sugizaki, K. and Kumazaki, T.: short-time ultrasound of head and neck squamous cell carcinoma under radiotherapy, 13

Mizushige, K., see Kondo, I.

Mizushige, K., see Kondo, I.

M-mode
does B-mode common carotid artery intima-media thickness differ from M-mode? (Van Bortel), 1333
spatio-temporal mapping of intracardiac pressure gradients. A solution to Euler's equation from digital postprocessing of color Doppler M-mode echocardiograms (Bermejo), 621

Modaresi, K., see Arnold, A.

Mödder, U., see Saleh, A.

Mokhtari-Dizaji, M.: tissue-mimicking materials for teaching sonographers and evaluation of their specifications after three years, 1713 (Technical Note)

Molnár, L. J., Caldas, J. G. M. P., Garcia, R. G. C. and Cerri, G. G.: Doppler mapping of direct carotid-cavernous fistulae (DCCF), 367

Monitoring
B-scan ultrasound imaging of thermal coagulation in bovine liver: log envelope slope attenuation mapping (Bevan), 379
real-time visualization of high-intensity focused ultrasound treatment using ultrasound imaging (Vaezy), 33

Mooney, M. G., see Chuang, M. L.

Moran, C. M., see Sboros, V.

Morehead, A. J., see Tsujino, H.

Moreno, M., see Bermejo, J.

Morris, V., see Dilley, A.

Moser, D. J., Ferneyhough, K. C., Bauer, R. M., Arndt, S., Schultz, S. K., Haynes, W. G., Staples, E. D., Alexander, J., Davies, L. K. and O'Brien, D. J.: unilateral vs. bilateral ultrasound in the monitoring of cerebral microemboli, 757

Moskalik, A. P., see Potdevin, T. C.

Motiei, M., see Topaz, M.

Motion artefact
conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetal echocardiography (Deng), 51

Motion compensation
patient motion compensation during transthoracic 3-D echocardiography (Chuang), 203
respiratory motion compensation for 3D freehand echocardiography (Atkinson), 1615

Mourad, P. D., see Poliachik, S. L.

Mouse
effects of pulsed ultrasound on development and glucose uptake of preimplantation mouse embryos (Ryo), 999
superthreshold behavior of ultrasound-induced lung hemorrhage in adult mice and rats: role of pulse repetition frequency and exposure duration (O'Brien), 267

MRI
apoptosis in ultrasound-produced threshold lesions in the rabbit brain (Vykhodtseva), 111
infant cerebral ventricle volume: a comparison of 3-D ultrasound and magnetic resonance imaging (Gilmore), 1143

Muhs, A., see Meves, S. H.

Müller-Egloff, S., see Heer, I. M.

Müllges, W., Franke, D., Reents, W. and Babin-Ebell, J.: brain microembolic counts during extracorporeal circulation depend on aortic cannula position, 933

Muratore, D. M. and Galloway, R. L., Jr.: beam calibration without a phantom for creating a 3-D freehand ultrasound system, 1557

Muratori, R., see Piscaglia, F.

Myers, J. G. Jr., see Steinman, A. H.

Myocardium
accuracy of biphasic response, sustained improvement and worsening during Dobutamine echocardiography in predicting recovery of resting myocardial dysfunction after revascularization: comparison with Thallium-201 SPECT (Huang), 925
assessment of the myocardial changes in heart transplant recipients without evident acute myocardial rejection by integrated backscatter: comparison with simultaneous dobutamine stress echocardiography and ^{201}Thallium spect (Ho), 171
can natural strain and strain rate quantify regional myocardial deformation? A study in healthy subjects (Kowalski), 1087
influence of respiration on myocardial signal intensity (Janerot-Sjöberg), 473
is there a change in myocardial nonlinearity during the cardiac cycle? (Pislaru), 389
myocardial rapid velocity distribution (Kanai), 481

quantitative regional analysis of myocardial wall motion (Jacob), 773

N

Nadkarni, S. K., Boughner, D. R., Drangova, M. and Fenster, A.: *in vitro* simulation and quantification of temporal jitter artifacts in ECG-gated dynamic three-dimensional echocardiography, 211

Naessen, T., see Rodriguez-Macias, K. A.

Nagai, Y., Helwegen, J., Flet, J. L., Beemer, M. K., Earley, C. J. and Metter, E. J.: associations of aortic windkessel function with age, gender and cardiovascular risk factors, 1207

Nair, A., Kuban, B. D., Obuchowski, N. and Vince D. G.: assessing spectral algorithms to predict atherosclerotic plaque composition with normalized and raw intravascular ultrasound data, 1319

Nakamizo, M., see Miyashita, T.

Naylor, A. R., see Fan, L.

Neck
short-time ultrasound of head and neck squamous cell carcinoma under radiotherapy (Miyashita), 13

Nelson, P. I., see Vaezy, S.

Neoplasms
fibroadenomas: computer-assisted quantitative evaluation of contrast-enhanced power Doppler features and correlation with histopathology (Huber), 3
cancer screening in a high risk population: a clinical trial (Taylor), 461
Doppler quantitative measures by region to discriminate prostate cancer (Potdevin), 1305
fibroadenomas: computer-assisted quantitative evaluation of contrast-enhanced power Doppler features and correlation with histopathology (Huber), 3
imaging with high frequency ultrasound (Reid), 1577 (Letter)
new lesions detected by intraoperative ultrasound during liver resection for hepatocellular carcinoma (Takigawa), 151
pathological changes in human malignant carcinoma treated with high-intensity focused ultrasound (Wu), 1099
short-time ultrasound of head and neck squamous cell carcinoma under radiotherapy (Miyashita), 13

Nerlich, A., see Maier, M.

Nerve
the use of cross-correlation analysis between high-frequency ultrasound images to measure longitudinal median nerve movement (Dilley), 1211

Nerve movement
the use of cross-correlation analysis between high-frequency ultrasound images to measure longitudinal median nerve movement (Dilley), 1211

Neuro-developmental outcome
a comparison of linear-array and mechanical-sector cranial ultrasound scanning techniques to predict neurodevelopmental outcome at 8 years in preterm newborn infants (Roth), 467

Nguyen, C. T., Hall, C. S., Scott, M. J., Zhu, Q., Marsh, J. and Wickline, S. A.: age-related alterations of cardiac tissue microstructure and material properties in Fischer 344 rats, 611

Njeh, C. F., Saeed, I., Grigorian, M., Kendler, D. L., Fan, B., Shepherd, J., McClung, M., Drake, W. M. and Genant, H. K.: assessment of bone status using speed of sound at multiple anatomical sites, 1337

Noble, J. A., see Atkinson, D.

Noble, J. A., see Boukerroui, D.

Noble, J. A., see Jacob, G.

Nociception
absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat (Haake), 279

Nonlinearity
experimental imaging of the acoustic nonlinearity parameter B/A for biological tissues via a parametric array (Zhang), 1359
is there a change in myocardial nonlinearity during the cardiac cycle? (Pislaru), 389
new technique for emboli detection and discrimination based on nonlinear characteristics of gas bubbles (Palanchon), 801
nonlinear native propagation effects of diagnostic ultrasound computed and measured in blood (Filipczynski), 251

Nonthermal effects
temporal and spatial evaluation of lesion reparative responses following superthreshold exposure of rat lung to pulsed ultrasound (Zachary), 829

Norrell, K. S., see Zachary, J. F.

Nozaki, S., see Kondo, I.

Nozaki, S., see Kondo, I.

Nussbaum, E., see Locke, M.

Nyborg, W. L.: biological effects of ultrasound: development of safety guidelines. Part II: general review, 301 (Historical Review)

O

O'Brien, D. J., see Moser, D. J.

O'Brien, W. D. Jr , see Zachary, J. F.

O'Brien, W. D., Jr., Frizzell, L. A., Schaeffer, D. J. and Zachary, J. F.: superthreshold behavior of ultrasound-induced lung hemorrhage in adult mice and rats: role of pulse repetition frequency and exposure duration, 267

Obuchowski, N., see Nair, A.

Ochiai, A., see Inaba, M.

Okai, T., see Ryo, E.

Olivari, N., see Torzilli, G.

Ollos, R. J., see Poliachik, S. L.

Olsen, I., see Harle, J.

Omran, H., see Tiemann, K.

Ophir, J., see Kallel, F.

Ophir, J., see Konofagou, E. E.

Ophir, J., see Varghese, T.

Ophir, J., see Varghese, T.

Ossant, F., Lebertre, M., Pourcelot, L. and Patat, F.: ultrasonic characterization of maturation of fetal lung microstructure: an animal study, 157

Ovarian cancer
cancer screening in a high risk population: a clinical trial (Taylor), 461

P

Padayachee, S., see Arnold, A.

Paeng, D.-G., Cao, P.-J. and Shung, K. K.: Doppler power variation from porcine blood under steady and pulsatile flow, 1245

Pagoulatos, N., Haynor, D. R. and Kim, Y.: a fast calibration method for 3-D tracking of ultrasound images using a spatial localizer, 1219

Palanchon, P., Bouakaz, A., van Blankenstein, J. H., Klein, J., Bom, N. and de Jong, N.: new technique for emboli detection and discrimination based on nonlinear characteristics of gas bubbles, 801

Pallone, F., see Cicala, M.

Pallotta, N., Baccini, F. and Corazziari, E.: small intestine contrast ultrasonography (SICUS) in the diagnosis of small intestine lesions, 335

Panaxginseng,ultrasound-induced physiological effects and secondary metabolite (Saponin) production in *Panax ginseng* cell cultures (Lin), 1147

Panza, J. A., see Tsujino, H.

Parametricarray
experimental imaging of the acoustic nonlinearity parameter B/A for biological tissues via a parametric array (Zhang), 1359

Parizotto, N. A., see da Cunha, A.

Patat, F., see Ossant, F.

Peebles, D. M., see Deng, J.

Pereira, W. C. A. and Maciel, C. D.: performance of ultrasound echo decomposition using singular spectrum analysis, 1231

Perfusion
changes of tumor vascularity during gene therapy monitored with color Doppler US (Delorme), 1595
evaluation of blood flow in the cerebral microcirculation: analysis of the refill kinetics during ultrasound contrast agent infusion (Seidel), 1059
feasibility of the flash-replenishment concept in renal tissue: which parameters affect the assessment of the contrast replenishment? (Schlosser), 937
high-resolution functional imaging with ultrasound contrast agents based on RF processing in an *in vivo* kidney experiment (Verbeek), 223
in vitro quantification of flow using continuous infusion of Levovist and pairs of harmonic power Doppler images (Ugolini), 637

influence of respiration on myocardial signal intensity (Janerot-Sjöberg), 473
intracranial temperature elevation from diagnostic ultrasound (Barnett), 883
neurovascular coupling and cerebral autoregulation can be described in terms of a control system (Rosengarten), 189
on the relationship between power mode and pressure amplitude (Adler), 1291 (Technical Note)
quantification of flow rates using harmonic grey-scale imaging and an ultrasound contrast agent: an *in vitro* and *in vivo* study (Claassen), 83
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21
vascularity index distribution within the testis: a technique for guiding testicular sperm extraction (Eytan), 1171

Peschar, M., see Verbeek, X. A. A. M.

Pflugfelder, P. W., see Guo, Z.

Phalanges
quantitative ultrasound (QUS) at the calcaneus and hand phalanges in Polish healthy postmenopausal women (Pluskiewicz), 373

Phantom
a computerized ultrasound quality control testing system for B-mode ultrasound (Gibson), 1697
a real vessel phantom for flow imaging: 3-D Doppler ultrasound of steady flow (Dabrowski), 135
construction and geometric stability of physiological flow rate wall-less stenosis phantoms (Ramnarine), 245
contrast-transfer efficiency for continuously varying tissue moduli: simulation and phantom validation (Kallel), 1115
Doppler power variation from porcine blood under steady and pulsatile flow (Paeng), 1245
effects of transducer, velocity, Doppler angle, and instrument settings on the accuracy of color Doppler ultrasound (Stewart), 551
improved method for determining resolution zones in ultrasound phantoms with spherical simulated lesions (Kofler), 1667
in vitro simulation and quantification of temporal jitter artifacts in ECG-gated dynamic three-dimensional echocardiography (Nadkarni), 211
measurement of the speed of sound in ethanol/water mixtures (Martin), 289 (Technical Note)
sources of error in maximum velocity estimation using linear phased-array Doppler systems with steady flow (Steinman), 655
tissue-mimicking materials for teaching sonographers and evaluation of their specifications after three years (Mokhtari-Dizaji), 1713 (Technical Note)
tofu as a tissue-mimicking material (Wu), 1297
phantoms,axial strain imaging of intravascular data: results of polyvinyl alcohol cryogel phantoms and carotid artery (Brusseau), 1631

Pharmakinetics
human pharmacokinetics of a perfluorocarbon ultrasound contrast agent evaluated with gas chromatography (Correas), 565

Phase abberration
phase aberration effects in elastography (Varghese), 819

Phonation
noninvasive assessment of laryngeal phonation function using color Doppler ultrasound imaging (Hsiao), 1035
noninvasive assessment of vocal fold mucosal wave velocity using color Doppler imaging (Shau), 1451

Physiotherapy
ultrasonic power balances - effect of a coupling window on the power measured from physiotherapy ultrasound units (Lunt), 1127
validated ultrasonic power measurements up to 20 W (Hekkenberg), 427

Piccoli, C. W., see Donohue, K. D.

Piscaglia, F., Donati, G., Serra, C., Muratori, R., Solmi, L., Gaiani, S., Gramantieri, L. and Bolondi, L.: value of splanchnic Doppler ultrasound in the diagnosis of portal hypertension, 893

Pislaru, C., D'hooge, J., Pislaru, S. V., Brandt, E., Cipic, R., Angermann, C. E., Van de Werf, F. J., Bijnens, B., Herregods, M.-C. and Sutherland, G. R.: is there a change in myocardial nonlinearity during the cardiac cycle?, 389

Pislaru, S. V., see Pislaru, C.

Placenta
development of three-dimensional power Doppler ultrasound imaging of fetoplacental vasculature (Welsh), 1161

Plant cells
ultrasound-induced physiological effects and secondary metabolite (Saponin) production in *Panax ginseng* cell cultures (Lin), 1147

Plaque
an objective method for grading ultrasound images of carotid artery plaques (Arnold), 1041
assessing spectral algorithms to predict atherosclerotic plaque composition with normalized and raw intravascular ultrasound data (Nair), 1319
real-time spatial compound imaging improves reproducibility in the evaluation of atherosclerotic carotid plaques (Kofoed), 1311

Platelets
activation, aggregation and adhesion of platelets exposed to high-intensity focused ultrasound (Poliachik), 1567

Plett, M. I., Beach, K. W., Dunmire, B., Brown, K. G., Primozich, J. F. and Strandness, E., Jr.: *in vivo* ultrasonic measurement of tissue vibration at a stenosis: a case study, 1049

Pluskiewicz, W. and Drozdzowska, B.: quantitative ultrasound (QUS) at the calcaneus and hand phalanges in Polish healthy postmenopausal women, 373

Poelmann, R. E., see Ursem, N. T. C.

Pohl, C., see Schlosser, T.

Pohl, C., see Tiemann, K.

Poliachik, S. L., Chandler, W. L., Mourad, P. D., Ollos, R. J. and Crum, L. A.: activation, aggregation and adhesion of platelets exposed to high-intensity focused ultrasound, 1567

Poroelasticity
poroelastography: imaging the poroelastic properties of tissues (Konofagou), 1387

Portal vein

Doppler sonography measurement of portal blood flow velocity after glucagon injection in patients with chronic HCV infection (Sereno), 723 (Clinical Note)
noninvasive grading of the severity of portal hypertension in cirrhotic patients by echo-color-Doppler (Bolognesi), 901
value of splanchnic Doppler ultrasound in the diagnosis of portal hypertension (Piscaglia), 893

Porter, T. R., Hiser, W. L., Kricsfeld, D., Deligonul, U., Xie, F., Iversen, P. and Radio, S.: inhibition of carotid artery neointimal formation with intravenous microbubbles, 259

Postert, T., see Meves, S. H.

Poston, R., see Arnold, A.

Potdevin, T. C., Moskalik, A. P., Fowlkes, J. B., Bude, R. O. and Carson, P. L.: Doppler quantitative measures by region to discriminate prostate cancer, 1305

Pötzi, C., see Bucek, R. A.

Pourcelot, L., see Berthomier, C.

Pourcelot, L., see Ossant, F.

Power
ultrasonic power balances - effect of a coupling window on the power measured from physiotherapy ultrasound units (Lunt), 1127
validated ultrasonic power measurements up to 20 W (Hekkenberg), 427

Power Doppler
a real vessel phantom for flow imaging: 3-D Doppler ultrasound of steady flow (Dabrowski), 135
contrast-enhanced power Doppler imaging of normal and decreased blood flow in canine prostates (Hagen), 909
development of three-dimensional power Doppler ultrasound imaging of fetoplacental vasculature (Welsh), 1161
evaluation of voxel-based registration of 3-D power Doppler ultrasound and 3-D magnetic resonance angiographic images of carotid arteries (Slomka), 945
fibroadenomas: computer-assisted quantitative evaluation of contrast-enhanced power Doppler features and correlation with histopathology (Huber), 3
in vitro quantification of flow using continuous infusion of Levovist and pairs of harmonic power Doppler images (Ugolini), 637
on the relationship between power mode and pressure amplitude (Adler), 1291 (Technical Note)
quantification of ultrasound contrast agent response: comparison of continuous wave Doppler and power Doppler to backscattered radiofrequency data (Lucidarme), 1379
serial measurement of cross-sectional area in peripheral vein grafts using three-dimensional ultrasound (Leotta), 61

tumor vascularization in experimental melanomas: correlation between unenhanced and contrast enhanced power Doppler imaging and histological grading (Schroeder), 761

Prausnitz, M. R., see Cochran, S. A.

Pressure gradients
spatio-temporal mapping of intracardiac pressure gradients. A solution to Euler's equation from digital postprocessing of color Doppler M-mode echocardiograms (Bermejo), 621

Prihoda, C. D., see Kallel, F.

Primozich, J. F., see Leotta, D. F.

Primozich, J. F., see Plett, M. I.

Prinzen, F. W., see Verbeek, X. A. A. M.

Prostate
contrast-enhanced power Doppler imaging of normal and decreased blood flow in canine prostates (Hagen), 909
Doppler quantitative measures by region to discriminate prostate cancer (Potdevin), 1305
history of ultrasound in nephrourology (Watanabe), 447 (Historical Review)
reproducibility of contrast-enhanced transrectal ultrasound of the prostate (Sedelaar), 595

Pulse inversion
feasibility of the flash-replenishment concept in renal tissue: which parameters affect the assessment of the contrast replenishment? (Schlosser), 937
the impact of emission power on the destruction of echo contrast agents and on the origin of tissue harmonic signals using power pulse-inversion imaging (Tiemann), 1525

Pye, S. D., see Gatzoulis, L.

Pye, S. D., see Sboros, V.

Q

QA
a computerized ultrasound quality control testing system for B-mode ultrasound (Gibson), 1697
improved method for determining resolution zones in ultrasound phantoms with spherical simulated lesions (Kofler), 1667
low-reflection-coefficient liquid interfaces for system characterization (Hall), 1003
tissue-mimicking materials for teaching sonographers and evaluation of their specifications after three years (Mokhtari-Dizaji), 1713 (Technical Note)
validated ultrasonic power measurements up to 20 W (Hekkenberg), 427

Qi, S., see Lin, L.

Qin, J. X., see Tsujino, H.

Quay, S. C., see Correas, J.-M.

Quddus, J., see Miller, D. L.

QUS
quantitative ultrasound (QUS) at the calcaneus and hand phalanges in Polish healthy postmenopausal women (Pluskiewicz), 373

R

Rabinovitz, R., see Doursout, M.-F.

Rademakers, F., see Kowalski, M.

Radio, S., see Porter, T. R.

Radiotherapy
short-time ultrasound of head and neck squamous cell carcinoma under radiotherapy (Miyashita), 13

Raju, B. I. and Srivivasan, M. A.: high-frequency ultrasonic attenuation and backscatter coefficients of *in vivo* normal human dermis and subcutaneous fat, 1543

Ramnarine, K. V., Anderson, T. and Hoskins, P. R.: construction and geometric stability of physiological flow rate wall-less stenosis phantoms, 245

Rao, N. A. H. K., see Daly, C. J.

Rat
absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat (Haake), 279
continuous and pulsed ultrasound do not increase heat shock protein 72 content (Locke), 1413
skeletal effects of low-intensity pulsed ultrasound on the ovariectomized rodent (Warden), 989
superthreshold behavior of ultrasound-induced lung hemorrhage in adult mice and rats: role of pulse repetition frequency and exposure duration (O'Brien), 267
the effect of therapeutic ultrasound on repair of the Achilles tendon (*tendon calcaneus*) of the rat (da Cunha), 1691

RBC aggregation
decorrelation characteristics of transverse blood flow along an intravascular array catheter: effects of aggregation of red blood cells (Lupotti), 409

Reents, W., see Müllges, W.

Refior, H. J., see Maier, M.

Reflection
low-reflection-coefficient liquid interfaces for system characterization (Hall), 1003

Regional heart function
quantitative regional analysis of myocardial wall motion (Jacob), 773

Registration
beam calibration without a phantom for creating a 3-D freehand ultrasound system (Muratore), 1557
evaluation of voxel-based registration of 3-D power Doppler ultrasound and 3-D magnetic resonance angiographic images of carotid arteries (Slomka), 945

Regurgitation
performance of time-frequency representation techniques to measure blood flow turbulence with pulsed-wave Doppler ultrasound (Cloutier), 535

Reid, J. M.: imaging with high frequency ultrasound, 1577 (Letter)

Rejection
assessment of the myocardial changes in heart transplant recipients without evident acute myocardial rejection by integrated backscatter: comparison with simultaneous dobutamine stress echocardiography and ^{201}Thallium spect (Ho), 171

Reproducibility
assessment of the spatial homogeneity of artery dimension parameters with high frame rate 2-D B-mode (Meinders), 785
real-time spatial compound imaging improves reproducibility in the evaluation of atherosclerotic carotid plaques (Kofoed), 1311
reproducibility of contrast-enhanced transrectal ultrasound of the prostate (Sedelaar), 595
reproducibility of skin characterization with backscattered spectra (12-25 MHz) in healthy subjects (Fournier), 603
test-retest reliability of functional transcranial Doppler ultrasonography (Stroobant), 509

Resolution
improved method for determining resolution zones in ultrasound phantoms with spherical simulated lesions (Kofler), 1667
strain compounding: spatial resolution and performance on human images (Li), 1535

Rettenbacher, T., Macheiner, P., Hollerweger, A., Gritzmann, N., Weismann, C. and Todoroff, B.: suture granulomas: sonography enables a correct preoperative diagnosis, 343

RF
age-related alterations of cardiac tissue microstructure and material properties in Fischer 344 rats (Nguyen), 611
high-resolution functional imaging with ultrasound contrast agents based on RF processing in an *in vivo* kidney experiment (Verbeek), 223
influence of respiration on myocardial signal intensity (Janerot-Sjöberg), 473
quantification of ultrasound contrast agent response: comparison of continuous wave Doppler and power Doppler to backscattered radiofrequency data (Lucidarme), 1379

RI
color Doppler ultrasound in breast carcinomas: relationship with hormone receptors, DNA ploidy, S-phase fraction, and histopathology (Chao), 351

Doppler mapping of direct carotid-cavernous fistulae (DCCF) (Molnár), 367

Richer, E., see Mehta, S. S.

Richter, A., see Janerot-Sjöberg, B.

Righi, D., see Tortoli, P.

Riley, M. F., see Chuang, M. L.

Riley, W., see Fan, L.

Rodeck, C. H., see Deng, J.

Rodeck, C. H., see Deng, J.

Rodriguez-Macias, K. A., Naessen, T. and Bergqvist, D.: validation of *in vivo* noninvasive high-frequency ultrasonography of the arterial wall layers, 751

Rosengarten, B., Aldinger, C., Kaufmann, A. and Kaps, M.: comparison of visually evoked peak systolic and end diastolic blood flow velocity using a control system approach, 1499

Rosengarten, B., Huwendiek, O. and Kaps, M.: neurovascular coupling and cerebral autoregulation can be described in terms of a control system, 189

Rosengarten, B., Huwendiek, O. and Kaps, M.: neurovascular coupling in terms of a control system: validation of a second-order linear system model, 631

Rotator cuff
the role of high-resolution ultrasonography in management of calcific tendonitis of the rotator cuff (Chiou), 735
three-dimensional ultrasonography in the diagnosis of rotator cuff lesions (Wallny), 745

Roth, S., Amess, P., Kirkbridge, V., Baudin, J., Townsend, J., Stewart, A. L. and Wyatt, J. S.: a comparison of linear-array and mechanical-sector cranial ultrasound scanning techniques to predict neurodevelopmental outcome at 8 years in preterm newborn infants, 467

Roy, R. A., see Holt, R. G.

RSI
the use of cross-correlation analysis between high-frequency ultrasound images to measure longitudinal median nerve movement (Dilley), 1211

Rubin, J. M., Tuthill, T. A. and Fowlkes, J. B.: volume flow measurement using Doppler and grey-scale decorrelation, 101

Ruff, C. F., see Deng, J.

Russo, V., see Sereno, S.

Ryo, E., Shiotsu, H., Takai, Y., Tsutsumi, O., Okai, T., Taketani, Y. and Takeuchi, Y.: effects of pulsed ultrasound on development and glucose uptake of preimplantation mouse embryos, 999

S

Sacerdoti, D., see Bolognesi, M.

Saeed, I., see Njeh, C. F.

Safety
absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat (Haake), 279
biological effects of ultrasound: development of safety guidelines. Part II: general review (Nyborg), 301 (Historical Review)
clinical concerns in the ultrasound exposure of the developing central nervous system (Barr), 889

comparative sensitivity of human fetal and adult erythrocytes to hemolysis by pulsed 1 MHz ultrasound (Miller), 419
effects of pulsed ultrasound on development and glucose uptake of preimplantation mouse embryos (Ryo), 999
estimated fetal cerebral ultrasound exposures from clinical examinations (Whittingham), 877
intracranial temperature elevation from diagnostic ultrasound (Barnett), 883
lysis and sonoporation of epidermoid and phagocytic monolayer cells by diagnostic ultrasound activation of contrast agent gas bodies (Miller), 1107
ultrasound and the developing central nervous system (Ziskin), 875

Saisu, T., see Maier, M.

Saleh, A., Fürst, G., Feldkamp, J., Grust, A. and Mödder, U.: estimation of antithyroid drug dose in Graves' disease: value of quantification of thyroid blood flow with color duplex sonography, 1137

Salih, V., see Harle, J.

Salles-Cunha, S., see Setty, S. P.

Salter, D. M., see Gatzoulis, L.

Salvetti, A., see Beux, F.

Salvetti, M. V., see Beux, F.

Sandgren, T., see Ahlgren, Å. R.

Santago, P., see Fan, L.

Sapozhnikov, O. A., see Bailey, M. R.

Sboros, V., Moran, C. M., Pye, S. D. and McDicken, W. N.: contrast agent stability: a continuous B-mode imaging approach, 1367

Schaeffer, D. J., see O'Brien, W. D., Jr.

Schäfer, D. M., see Handke, M.

Schild, R. L., see Wallny, T. A.

Schlachetzki, F., Hoelscher, T., Dorenbeck, U., Greiffenberg, B., Marienhagen, J., Ullrich, O.-W. and Bogdahn, U.: sonographic parenchymal and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct, 21

Schlosser, T., Pohl, C., Veltmann, C., Lohmaier, S., Goenechea, J., Ehlgen, A., Köster, J., Bimmel, D., Kuntz-Hehner, S., Becher, H. and Tiemann, K.: feasibility of the flash-replenishment concept in renal tissue: which parameters affect the assessment of the contrast replenishment?, 937

Schlosser, T., see Tiemann, K.

von Schmalensee, N., see Janerot-Sjöberg, B.

Schmitz, C., see Maier, M.

Schober, E., see Bucek, R. A.

Schreckenberger, A., see Janerot-Sjöberg, B.

Schröder, A., see Meves, S. H.

Schroeck, H., see Behrens, S.

Schroeder, R.-J., Hauff, P., Bartels, T., Vogel, K., Jeschke, J., Hidajat, N. and Maeurer, J.: tumor vascularization in experimental melanomas: correlation

between unenhanced and contrast enhanced power Doppler imaging and histological grading, 761

Schultz, S. K., see Moser, D. J.

Schwartz, P. E., see Taylor, K. J. W.

Scintigraphy
accuracy of biphasic response, sustained improvement and worsening during Dobutamine echocardiography in predicting recovery of resting myocardial dysfunction after revascularization: comparison with Thallium-201 SPECT (Huang), 925

Scissons, R., see Setty, S. P.

Scott, M. J., see Nguyen, C. T.

Sedelaar, J. P. M., Goossen, T. E. B., Wijkstra, H. and de la Rosette, J. J. M. C. H.: reproducibility of contrast-enhanced transrectal ultrasound of the prostate, 595

Seidel, G., Claassen, L., Meyer, K. and Vidal-Langwasser, M.: evaluation of blood flow in the cerebral microcirculation: analysis of the refill kinetics during ultrasound contrast agent infusion, 1059

Seidel, G., Meyer, K., Algermissen, C. and Broillet, A.: harmonic imaging of the brain parenchyma using a perfluorobutane-containing ultrasound contrast agent, 915

Seidel, G., see Claassen, L.

Senda, S., see Kondo, I.

Sensory stimulation
comparison of visually evoked peak systolic and end diastolic blood flow velocity using a control system approach (Rosengarten), 1499

Sereno, S., Toccaceli, F., Russo, V., Iacomi, F., Zardi, E. M. and Laghi, V.: Doppler sonography measurement of portal blood flow velocity after glucagon injection in patients with chronic HCV infection, 723 (Clinical Note)

Serra, C., see Piscaglia, F.

Serruys, P. W., see Doyley, M. M.

Setty, S. P., Salles-Cunha, S., Scissons, R., Begeman, G. A., Farison, J. B. and Beebe, H. G.: noninvasive ultrasound measurement of shear rate in leg bypass grafts, 1485

Shapiro, F., see Smith, N. B.

Sharrett, A. R., see Hunt, K. J.

Shau, Y.-W., see Hsiao, T.-Y.

Shau, Y.-W., Wang, C.-L., Hsieh, F.-J. and Hsiao, T.-Y.: noninvasive assessment of vocal fold mucosal wave velocity using color Doppler imaging, 1451
shear,noninvasive ultrasound measurement of shear rate in leg bypass grafts (Setty), 1485

Shepherd, J., see Njeh, C. F.

Sherar, M. D., see Bevan, P. D.

Sherar, M. D., see Bevan, P. D.

Sherar, M. D., see Worthington, A. E.

Sherman, T. A., see Miller, M. W.

Sherman, T. A., see Miller, M. W.

Shi, X., Martin, R. W., Vaezy, S., Kaczkowski, P. and Crum, L. A.: color Doppler detection of acoustic streaming in a hematoma model, 1255

Shi, X., see Bailey, M. R.

Shi, X., see Vaezy, S.

Shimada, K., see Takigawa, Y.

Shiota, T., see Tsujino, H.

Shiotsu, H., see Ryo, E.

Shock waves
absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat (Haake), 279
dynamics of bubble oscillation in constrained media and mechanisms of vessel rupture in SWL (Zhong), 119
impaired tensile strength after shock-wave application in an animal model of tendon calcification (Maier), 665
the mechanisms of stone fragmentation in ESWL (Eisenmenger), 683

Shung, K. K., see Paeng, D.-G.

Sigelian hernia
ultrasound-guided reduction of an incarcerated spigelian hernia (Torzilli), 1133

Sillesen, H., see Kofoed, S. C.

Singh, J., see Lisauskas, J.

Singh, V. R., see Bhatia, K. G.

Singlas, E., see Correas, J.-M.

Skin
high-frequency ultrasonic attenuation and backscatter coefficients of *in vivo* normal human dermis and subcutaneous fat (Raju), 1543

Slomka, P. J., Mandel, J., Downey, D. and Fenster, A.: evaluation of voxel-based registration of 3-D power Doppler ultrasound and 3-D magnetic resonance angiographic images of carotid arteries, 945

Small intestine
small intestine contrast ultrasonography (SICUS) in the diagnosis of small intestine lesions (Pallotta), 335

Smith, N. B., Temkin, J. M., Shapiro, F. and Hynynen, K.: thermal effects of focused ultrasound energy on bone tissue, 1427 (Technical Note)

Smith, S. W., see Light, E. D.

Smith, W. L., Surry, K. J. M., Mills, G. R., Downey, D. B. and Fenster, A.: three-dimensional ultrasound-guided core needle breast biopsy, 1025

Solmi, L., see Piscaglia, F.

Sonesson, B., see Ahlgren, Å. R.

Sonoluminescence
sonoluminescence as an indicator of cell membrane disruption by acoustic cavitation (Cochran), 841

Soo, M. S. C. , see Anderson, M. E.

Sosnovik, D. E., Baldwin, S. L., Lewis, S. H., Holland, M. R. and Miller, J. G.: transmural variation of myocadial attenuation measured with a clinical imager, 1643

Sound speed
assessment of bone status using speed of sound at multiple anatomical sites (Njeh), 1337
bone material ultrasound velocity is predictive of whole bone strength (Mehta), 861 (Technical Note)
measurement of the speed of sound in ethanol/water mixtures (Martin), 289 (Technical Note)

Speckle
strain compounding: spatial resolution and performance on human images (Li), 1535

Specter, B., see Gilmore, J. H.

Spengos, K., see Behrens, S.

Sperm
vascularity index distribution within the testis: a technique for guiding testicular sperm extraction (Eytan), 1171

Spinks, D., see Martin, K.

Srivivasan, M. A., see Raju, B. I.

Staessen, J. A., see Van Bortel, L. M.

Staples, E. D., see Moser, D. J.

Starke, C., see Hiltawsky, K. M.

van der Steen, A. F. W., see Doyley, M. M.

van der Steen, A. F. W., see Lupotti, F. A.

Steinman, A. H., Tavakkoli, J., Myers, J. G. Jr., Cobbold, R. S. C. and Wayne Johnston, K.: sources of error in maximum velocity estimation using linear phased-array Doppler systems with steady flow, 655

Stenosis vibration
in vivo ultrasonic measurement of tissue vibration at a stenosis: a case study (Plett), 1049

Stewart, A. L., see Roth, S.

Stewart, S. F. C.

Stewart, S. F. C.: effects of transducer, velocity, Doppler angle, and instrument settings on the accuracy of color Doppler ultrasound, 551

Stiffness
dynamic behaviour of the common femoral artery: age and gender of minor importance (Ahlgren), 181

Stimulated acoustic emission
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21

Stimulation
neurovascular coupling and cerebral autoregulation can be described in terms of a control system (Rosengarten), 189

Stone fragmentation
the mechanisms of stone fragmentation in ESWL (Eisenmenger), 683

Strain
axial strain imaging of intravascular data: results of polyvinyl alcohol cryogel phantoms and carotid artery (Brusseau), 1631
experimental corroboration of the nonstationary strain estimation errors in elastography (Varghese), 1677
phase aberration effects in elastography (Varghese), 819

Strandness, D. E. Jr., see Leotta, D. F.

Strandness, E., Jr., see Plett, M. I.

Strauss, A., see Heer, I. M.

Streaming
color Doppler detection of acoustic streaming in a hematoma model (Shi), 1255
on the interaction between ultrasound and contrast agents during Doppler investigations (Tortoli), 1265

Stroobant, N. and Vingerhoets, G.: test-retest reliability of functional transcranial Doppler ultrasonography, 509

Struijk, P. C., see Ursem, N. T. C.

Sugawara, Y., see Takigawa, Y.

Sugizaki, K., see Miyashita, T.

Surgery
real-time visualization of high-intensity focused ultrasound treatment using ultrasound imaging (Vaezy), 33

Surry, K. J. M., see Smith, W. L.

Sutherland, A., see Haluska, B.

Sutherland, G. R., see Kowalski, M.

Sutherland, G. R., see Pislaru, C.

Suture granulomas
suture granulomas: sonography enables a correct preoperative diagnosis (Rettenbacher), 343

SWL
dynamics of bubble oscillation in constrained media and mechanisms of vessel rupture in SWL (Zhong), 119

SWT
absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat (Haake), 279

T

Taddei, S., see Beux, F.

Takai, Y., see Ryo, E.

Taketani, Y., see Ryo, E.

Takeuchi, Y., see Ryo, E.

Takeuchi, Y., see Tortoli, P.

Takeuchi, Y.: anthology for the origin and early days of color Doppler, 439 (Letter)

Takigawa, Y., Sugawara, Y., Yamamoto, J., Shimada, K., Yamasaki, S., Kosuge, T. and Makuuchi, M.: new lesions detected by intraoperative ultrasound during liver resection for hepatocellular carcinoma, 151

Tateno, A., see Miyashita, T.

Tavakkoli, J., see Lui, E. Y. L.

Tavakkoli, J., see Steinman, A. H.

Taylor, K. J. W. and Schwartz, P. E.: cancer screening in a high risk population: a clinical trial, 461

Taylor, M. J. O., see Welsh, A. W.

Taylor, P., see Arnold, A.

TCD
automated embolus identification using a rule-based expert system (Fan), 1065
comparison of visually evoked peak systolic and end diastolic blood flow velocity using a control system approach (Rosengarten), 1499
distribution of artificially-produced microembolic signals into the cerebral circulation (Meves), 285 (Clinical Note)
evaluation of a 1 MHz transducer for transcranial Doppler ultrasound including embolic signal detection (Cullinane), 795
neurovascular coupling and cerebral autoregulation can be described in terms of a control system (Rosengarten), 189
neurovascular coupling in terms of a control system: validation of a second-order linear system model (Rosengarten), 631
test-retest reliability of functional transcranial Doppler ultrasonography (Stroobant), 509
transcranial ultrasound-improved thrombolysis: diagnostic versus therapeutic ultrasound (Behrens), 1683

Technique
a comparison of linear-array and mechanical-sector cranial ultrasound scanning techniques to predict neurodevelopmental outcome at 8 years in preterm newborn infants (Roth), 467

Telemedicine
telemedicine in ultrasound: new solutions (Heer), 1239

Temkin, J. M., see Smith, N. B.

Temperature measurement
apoptosis in ultrasound-produced threshold lesions in the rabbit brain (Vykhodtseva), 111

Tendon
elastic properties of tendon measured by two different approaches (Kuo), 1275
impaired tensile strength after shock-wave application in an animal model of tendon calcification (Maier), 665
the effect of therapeutic ultrasound on repair of the Achilles tendon (*tendon calcaneus*) of the rat (da Cunha), 1691
the role of high-resolution ultrasonography in management of calcific tendonitis of the rotator cuff (Chiou), 735
three-dimensional ultrasonography in the diagnosis of rotator cuff lesions (Wallny), 745

Testis
vascularity index distribution within the testis: a technique for guiding testicular sperm extraction (Eytan), 1171

Texture analysis
tissue classification with generalized spectrum parameters (Donohue), 1505

Therapy
absence of spinal response to extracorporeal shock waves on the endogeneous opioid systems in the rat (Haake), 279
apoptosis in ultrasound-produced threshold lesions in the rabbit brain (Vykhodtseva), 111
changes in ultrasound properties of porcine kidney tissue during heating (Worthington), 673
effects of ultrasound on the growth and function of bone and periodontal ligament cells *in vitro* (Harle), 579
impaired tensile strength after shock-wave application in an animal model of tendon calcification (Maier), 665
pathological changes in human malignant carcinoma treated with high-intensity focused ultrasound (Wu), 1099
real-time visualization of high-intensity focused ultrasound treatment using ultrasound imaging (Vaezy), 33
skeletal effects of low-intensity pulsed ultrasound on the ovariectomized rodent (Warden), 989
the effect of therapeutic ultrasound on repair of the Achilles tendon (*tendon calcaneus*) of the rat (da Cunha), 1691
ultrasound-guided reduction of an incarcerated spigelian hernia (Torzilli), 1133

Thermal monitoring
B-scan ultrasound imaging of thermal coagulation in bovine liver: frequency shift attenuation mapping (Bevan), 809

Thermal therpay
B-scan ultrasound imaging of thermal coagulation in bovine liver: log envelope slope attenuation mapping (Bevan), 379

Thijssen, J. M., see Kapusta, L.

Thom, S. A., see Barratt, D. C.

Thom, S. A., see Barratt, D. C.

Thomas, J. D., see Tsujino, H.

Thon, A., see Haake, M.

Thromboembolism
ultrasound with Levovist® in the diagnosis of suspected calf vein thrombosis (Bucek), 455

Thrombolysis
transcranial ultrasound-improved thrombolysis: diagnostic versus therapeutic ultrasound (Behrens), 1683

Thyroid
estimation of antithyroid drug dose in Graves' disease: value of quantification of thyroid blood flow with color duplex sonography (Saleh), 1137

Tiemann, K., see Schlosser, T.

Tiemann, K., Veltmann, C., Ghanem, A., Lohmaier, S., Bruce, M., Kuntz-Hehner, S., Pohl, C., Ehlgen, A., Schlosser, T., Omran, H. and Becher, H.: the impact of emission power on the destruction of echo contrast agents and on the origin of tissue harmonic signals using power pulse-inversion imaging, 1525

Tissue characterisation
assessment of the myocardial changes in heart transplant recipients without evident acute myocardial rejection by integrated backscatter: comparison with simultaneous dobutamine stress echocardiography and ^{201}Thallium spect (Ho), 171
advancing intravascular ultrasonic palpation toward clinical applications (Doyley), 1471
age-related alterations of cardiac tissue microstructure and material properties in Fischer 344 rats (Nguyen), 611
alterations of myocardial ultrasonic tissue characterization by coronary angioplasty in patients with chronic stable coronary artery disease (Lin), 1191
assessing spectral algorithms to predict atherosclerotic plaque composition with normalized and raw intravascular ultrasound data (Nair), 1319
B-scan ultrasound imaging of thermal coagulation in bovine liver: log envelope slope attenuation mapping (Bevan), 379
B-scan ultrasound imaging of thermal coagulation in bovine liver: frequency shift attenuation mapping (Bevan), 809
changes in ultrasound properties of porcine kidney tissue during heating (Worthington), 673
experimental imaging of the acoustic nonlinearity parameter B/A for biological tissues via a parametric array (Zhang), 1359
in vivo breast tissue backscatter measurement with 7.5- and 10-MHz transducers (Anderson), 75
influence of boundary conditions on a one-dimensional ultrasound backscattering model of blood (Lui), 571
influence of respiration on myocardial signal intensity (Janerot-Sjöberg), 473
low-reflection-coefficient liquid interfaces for system characterization (Hall), 1003
myocardial rapid velocity distribution (Kanai), 481

new lesions detected by intraoperative ultrasound during liver resection for hepatocellular carcinoma (Takigawa), 151
performance of ultrasound echo decomposition using singular spectrum analysis (Pereira), 1231
reproducibility of skin characterization with backscattered spectra (12-25 MHz) in healthy subjects (Fournier), 603
tissue classification with generalized spectrum parameters (Donohue), 1505
ultrasonic characteristics of leiomyoma uteri *in vitro* (Bhatia), 983
ultrasonic characterization of maturation of fetal lung microstructure: an animal study (Ossant), 157
ultrasonic tissue characterization can predict β-blocker efficacy in dilated cardiomyopathy (Kondo), 1079

Tissue Dopper imaging
discriminative ability of conventional echocardiography and tissue Doppler imaging techniques for the detection of subclinical cardiotoxic effects of treatment with anthracyclines (Kapusta), 1605
myocardial rapid velocity distribution (Kanai), 481

Tissue harmonics
the impact of emission power on the destruction of echo contrast agents and on the origin of tissue harmonic signals using power pulse-inversion imaging (Tiemann), 1525

Tissue motion
myocardial rapid velocity distribution (Kanai), 481
in vivo ultrasonic measurement of tissue vibration at a stenosis: a case study (Plett), 1049

Tiu, C.-M., see Chou, Y.-H.

Toccaceli, F., see Sereno, S.

Todoroff, B., see Rettenbacher, T.

Tofu
tofu as a tissue-mimicking material (Wu), 1297

Topaz, M., Motiei, M., Gedanken, A., Meyerstein, D. and Meyerstein, N.: EPR analysis of radicals generated in ultrasound-assisted lipoplasty simulated environment, 851

Tortoli, P., Michelassi, V., Corsi, M., Righi, D. and Takeuchi, Y.: on the interaction between ultrasound and contrast agents during Doppler investigations, 1265

Tortoli, P., see Guidi, G.

Torzilli, G., Del Fabbro, D., Felisi, R., Leoni, P., Gnocchi, P., Lumachi, V., Goglia, P. and Olivari, N.: ultrasound-guided reduction of an incarcerated spigelian hernia, 1133

Townsend, J., see Roth, S.

Trahey, G. E., see Anderson, M. E.

Transcranial
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21

Transducer
real-time three-dimensional intracardiac echocardiography (Light), 1177
spatial averaging in the beam of a piston transducer (Daly), 643

Transit time flowmeter
conversion of umbilical arterial Doppler waveforms to cardiac cycle triggering signals: a preparatory study for online motion-gated three-dimensional fetal echocardiography (Deng), 51

Travaglini, A., see Tsujino, H.

Tsuji, T., see Kondo, I.

Tsujino, H., Jones, M., Shiota, T., Qin, J. X., Greenberg, N. L., Cardon, L. A., Morehead, A. J., Zetts, A. D., Travaglini, A., Bauer, F., Panza, J. A. and Thomas, J. D.: real-time three-dimensional color Doppler echocardiography for characterizing the spatial velocity distribution and quantifying the peak flow rate in the left ventricular outflow tract, 69

Tsutsumi, O., see Ryo, E.

Tumor vascularisation
color Doppler ultrasound in breast carcinomas: relationship with hormone receptors, DNA ploidy, S-phase fraction, and histopathology (Chao), 351
tumor vascularization in experimental melanomas: correlation between unenhanced and contrast enhanced power Doppler imaging and histological grading (Schroeder), 761

Turbulence
performance of time-frequency representation techniques to measure blood flow turbulence with pulsed-wave Doppler ultrasound (Cloutier), 535

Tuthill, T. A., see Rubin, J. M.

Tymkiewicz, R., see Filipczynski, L.

U

Ueberle, F., see Maier, M.

Ugolini, P., Delouche, A., Herment, A. and Diebold, B.: *in vitro* quantification of flow using continuous infusion of Levovist and pairs of harmonic power Doppler images, 637

Ukimura, O., see Inaba, M.

Ullrich, O.-W., see Schlachetzki, F.

Ultrasonic instruments
ultrasonic instruments & devices - references for modern instrumentation, techniques and technology (Cochran), 1439 (Book Review)
ultrasound: a practical approach to clinical problems (Weston), 295 (Book Review)

Uren, N., see Gatzoulis, L.

Ursem, N. T. C., Struijk, P. C., Poelmann, R. E., Gittenberger de Groot, A. C. and Wladimiroff, J. W.: dorsal aortic flow velocity in chick embryos of stage 16 to 28, 919

Ushijima, S., see Inaba, M.

Uterus
ultrasonic characteristics of leiomyoma uteri *in vitro* (Bhatia), 983

V

Vaezy, S., see Bailey, M. R.

Vaezy, S., see Shi, X.

Vaezy, S., Shi, X., Martin, R. W., Chi, E., Nelson, P. I., Bailey, M. R. and Crum, L. A.: real-time visualization of high-intensity focused ultrasound treatment using ultrasound imaging, 33

Van de Werf, F. J., see Pislaru, C.

Vanmolkot, F. H., see Van Bortel, L. M.

Varghese, T. and Ophir, J.: experimental corroboration of the nonstationary strain estimation errors in elastography, 1677

Varghese, T., Bilgen, M. and Ophir, J.: phase aberration effects in elastography, 819

Varices
value of splanchnic Doppler ultrasound in the diagnosis of portal hypertension (Piscaglia), 893

Vascularity
changes of tumor vascularity during gene therapy monitored with color Doppler US (Delorme), 1595
evaluation of blood flow in the cerebral microcirculation: analysis of the refill kinetics during ultrasound contrast agent infusion (Seidel), 1059
feasibility of the flash-replenishment concept in renal tissue: which parameters affect the assessment of the contrast replenishment? (Schlosser), 937
high-resolution functional imaging with ultrasound contrast agents based on RF processing in an *in vivo* kidney experiment (Verbeek), 223
in vitro quantification of flow using continuous infusion of Levovist and pairs of harmonic power Doppler images (Ugolini), 637
influence of respiration on myocardial signal intensity (Janerot-Sjöberg), 473
intracranial temperature elevation from diagnostic ultrasound (Barnett), 883
neurovascular coupling and cerebral autoregulation can be described in terms of a control system (Rosengarten), 189
on the relationship between power mode and pressure amplitude (Adler), 1291 (Technical Note)
quantification of flow rates using harmonic grey-scale imaging and an ultrasound contrast agent: an *in vitro* and *in vivo* study (Claassen), 83
sonographic parenchyma and brain perfusion imaging: preliminary results in four patients following decompressive surgery for malignant middle cerebral artery infarct (Schlachetzki), 21
vascularity index distribution within the testis: a technique for guiding testicular sperm extraction (Eytan), 1171

Vascularity index
vascularity index distribution within the testis: a technique for guiding testicular sperm extraction (Eytan), 1171

Vavassori, P., see Cicala, M.

Vein dimensions
serial measurement of cross-sectional area in peripheral vein grafts using three-dimensional ultrasound (Leotta), 61

Vein graft
noninvasive ultrasound measurement of shear rate in leg bypass grafts (Setty), 1485
serial measurement of cross-sectional area in peripheral vein grafts using three-dimensional ultrasound (Leotta), 61

Velocity profile
noninvasive ultrasound measurement of shear rate in leg bypass grafts (Setty), 1485

Veltmann, C., see Schlosser, T.

Veltmann, C., see Tiemann, K.

Venous pressure gradient
noninvasive grading of the severity of portal hypertension in cirrhotic patients by echo-color-Doppler (Bolognesi), 901

Verbeek, X. A. A. M., Willigers, J. M., Prinzen, F. W., Peschar, M., Ledoux L. A. F. and Hoeks, A. P. G.: high-resolution functional imaging with ultrasound contrast agents based on RF processing in an *in vivo* kidney experiment, 223

Vernersson, E., see Ahlgren, Å. R.

Vesely, M., see Huber, S.

Vesico-ureteral reflux
possible use of ultrasound estimated bladder weight in evaluating vesicoureteral reflux in children (Inaba), 1481

Vidal-Langwasser, M., see Seidel, G.

Vince D. G., see Nair, A.

Vingerhoets, G., see Stroobant, N.

Virtual patient
telemedicine in ultrasound: new solutions (Heer), 1239

Vocal fold
noninvasive assessment of vocal fold mucosal wave velocity using color Doppler imaging (Shau), 1451

Vogel, K., see Schroeder, R.-J.

Vray, D., see Brusseau, E.

Vykhodtseva, N., McDannold, N., Martin, H., Bronson, R. T. and Hynynen, K.: apoptosis in ultrasound-produced threshold lesions in the rabbit brain, 111

W

Wallny, T. A., Schild, R. L., Bertelsbeck, D. S., Hansmann, M. E. and Kraft, C. N.: three-dimensional ultrasonography in the diagnosis of rotator cuff lesions, 745

walltracking,assessment of the spatial homogeneity of artery dimension parameters with high frame rate 2-D B-mode (Meinders), 785

Wang, C.-L., see Hsiao, T.-Y.

Wang, C.-L., see Shau, Y.-W.

Wang, Z.-B., Zhu, H., see Wu, F.

Wang, Z.-L., see Wu, F.

Warden, S. J., Bennell, K. L., Forwood, M. R., McKeeken, J. M. and Wark, J. D.: skeletal effects of low-intensity pulsed ultrasound on the ovariectomized rodent, 989

Wark, J. D., see Warden, S. J.

Watanabe, H.

Watanabe, H.: history of ultrasound in nephrourology, 447 (Historical Review)

Watson, R. J., see Gatzoulis, L.

Wavelet
a textural approach based on Gabor functions for texture edge detection in ultrasound images (Chen), 515
wavelet-based edge detection in ultrasound images (Kaspersen), 89

Wayne Johnston, K., see Steinman, A. H.

Weidemann, F., see Kowalski, M.

Weiler, C., see Maier, M.

Weismann, C.see Rettenbacher, T.

Welsh, A. W., Humphries, K., Cosgrove, D. O., Taylor, M. J. O. and Fisk, N. M.: development of three-dimensional power Doppler ultrasound imaging of fetoplacental vasculature, 1161

Weston, M.: ultrasound: a practical approach to clinical problems, 295 (Book Review)

Whittingham, T. A.: estimated fetal cerebral ultrasound exposures from clinical examinations, 877

Wickline, S. A., see Nguyen, C. T.

Wijkstra, H., see Sedelaar, J. P. M.

Wilber, J. S., see Gilmore, J. H.

Wilhjelm, J. E., see Kofoed, S. C.

Wilkenshoff, U., see Janerot-Sjöberg, B.

Willigers, J. M., see Meinders, J. M.

Willigers, J. M., see Verbeek, X. A. A. M.

Windkessel,associations of aortic windkessel function with age, gender and cardiovascular risk factors (Nagai), 1207

Wladimiroff, J. W., see Ursem, N. T. C.

Wójcik, J., see Filipczynski, L.

Wolf, P. D., see Light, E. D.

Women
quantitative ultrasound (QUS) at the calcaneus and hand phalanges in Polish healthy postmenopausal women (Pluskiewicz), 373

Worah, D., see Correas, J.-M.

Worthington, A. E. and Sherar, M. D.: changes in ultrasound properties of porcine kidney tissue during heating, 673

Wouters, P., see Doursout, M.-F.

Wu, C.-C., see Huang, P.-J.

Wu, C.-C., see Lin, L.-C.

Wu, C.-L., see Li, P.-C.

Wu, F., Chen, W.-Z., Bai, J., Zou, J.-Z., Wang, Z.-L., Zhu, H. and Wang, Z.-B.: pathological changes in human malignant carcinoma treated with high-intensity focused ultrasound, 1099

Wu, J., see Lin, L.

Wu, J.: tofu as a tissue-mimicking material, 1297

Wu, J.-J., Huang, see Chiou, H.-J.

Wu, S.-C., see Chou, Y.-H.

Wyatt, J. S., see Roth, S.

X

Xie, F., see Porter, T. R.

Y

Yamamoto, J., see Takigawa, Y.

Yamasaki, S., see Takigawa, Y.

Yates, R., see Deng, J.

Yavetz, H., see Eytan, O.

Yen, R.-F., see Ho, Y.-L.

Yen, R.-F., see Huang, P.-J.

Yogev, L., see Eytan, O.

Yotti, R., see Bermejo, J.

Yu, C.-H., see Chen, M.-L.

Z

Zachary, J. F., Frizzell, L. A., Norrell, K. S., Blue, J. P. Jr, Miller, R. J. and O'Brien, W. D. Jr: temporal and spatial evaluation of lesion reparative responses following superthreshold exposure of rat lung to pulsed ultrasound, 829

Zachary, J. F., see O'Brien, W. D., Jr.

Zardi, E. M., see Sereno, S.

Zeqiri, B., see Hekkenberg, R. T.

Zetts, A. D., see Tsujino, H.

Zhang, D., Gong, X.-f. and Chen, X.: experimental imaging of the acoustic nonlinearity parameter B/A for biological tissues via a parametric array, 1359

Zhong, P., Zhou, Y. and Zhu, S.: dynamics of bubble oscillation in constrained media and mechanisms of vessel rupture in SWL, 119

Zhou, Y., see Zhong, P.

Zhu, Q., see Nguyen, C. T.

Zhu, S., see Zhong, P.

Zienkiewicz, B., see Filipczynski, L.

Ziskin, M. C. and Barnett, S. B.: ultrasound and the developing central nervous system, 875

Zontsich, T., see Bucek, R. A.

Zou, J.-Z., see Wu, F.

Zuna, I., see Delorme, S.

Zuna, I., see Huber, S.